





Yamaha

Yamaha – a name synonymous with performance, quality and reliability; and a reputation earned from years of creating the world's most advanced outboard engines and marine products. In fact, millions of water sports enthusiasts and professionals choose Yamaha because it's the name they know and trust.

Because we apply the same high standards and attention to detail to everything we make, it's no surprise they also choose Yamaha when it comes to parts and accessories – and what's more, all our products are designed to work seamlessly with each other, which means not just co-ordinated looks and styling, but better performance and total peace of mind.

There's a wide range too, extending from watersport accessories, hi-tech marine lubricants and ingenious security locks, to protective covers for engines and watercraft, smart steering wheels and performance props. Not to mention remote controls and steering systems, switches, filters, fuel tanks and other practical things!

Check out too, our new line-up of Digital Network Gauges and electronic control systems. It brings a revolution in boating confidence, enjoyment and safety, with its integral, centrally-managed system of command and control.

So whatever you need to enhance your fun and enjoyment on the water, we've got it covered with products that are designed to perform ... and built to last.

Contents

Page 2.	Yamalube
Page 4.	Apparel – Casual Wear
Page 12.	Apparel – Accessories
Page 14.	Watersports – Adventure Line
Page 20.	Watersports – Classic Line
Page 26.	Watersports – Towables
Page 30.	Propellers
Page 36.	Instruments Et Digital Network Gauges
Page 40.	Remote Controls
Page 46.	Steering Wheels
Page 47.	Steering Systems
Page 52.	Filters Et Fuel Accessories
Page 54.	Outboard Maintenance Et Accessories
Page 58.	WaveRunner Accessories
Page 60.	Outboard Maintenance Et Service



YAMALUBE 4-STROKE ENGINE OILS ▶

Specially developed for the new generation of 4-stroke marine engines, these oils provide optimum protection, using special additives and antioxidants that also keep the engine clean and running at peak efficiency. Because outboards and watercraft face unusually demanding conditions, these oils feature special properties that not only look after the engine in the all-important period immediately after starting from cold, but also during continuous operation under heavy load or high speed.

4-STROKE FCW ANTI-CORROSION ENGINE OIL:

10W40 FCW – Outboard Motors • 10W30 FCW – Outboard Motors

A special anti-corrosion formula with balanced inhibitors to protect the vital parts of the engine against the extreme demands of the marine environment at both idle and running speeds.

4-STROKE FUEL ECONOMY ENGINE OIL:

10W40 API SL/CF – Outboard Motors • 10W30 API SJ/CF – Outboard Motors and PWCs

An excellent all-round performance lubricant with good wear-protection properties and a special formulation to promote fuel economy.

YAMALUBE 2-STROKE ENGINE OILS ▶

YAMALUBE 2-stroke Outboard Engine Oils are well known for their ability to minimize carbon build-up, but they have now been re-formulated to provide even better protection and lubrication. They are ideally suited to both premix and Autolube® applications and the increased quality level can be recognized by the “TC-W3 RL” description on the label.

SUPER 2-STROKE TC-W3 RL ENGINE OIL (Outboard Motors and PWCs):

A high quality lubricant designed to deliver top performance in the most arduous conditions. The special formulation also ensures very low smoke emission.



2-STROKE ENGINE OIL (Outboard Motors and PWCs):

Fully synthetic and bio-degradable, this premium oil helps reduce smoke to a minimum; so you get ultimate engine performance combined with optimum protection.

Please note: This bio-degradable oil is NOT suitable for HPDI motors.

2-W JASO FC CLASS FOR PERSONAL WATERCRAFT:

A new, high performance, semi-synthetic lubricant with advanced smoke-reducing technology, formulated specially for use in 2-stroke personal watercraft.

Please note: YAMALUBE 2-W is NOT suitable for outboard motors.



◀ OTHER YAMALUBE PRODUCTS

STERN DRIVE DIESEL 15W40 API CF ENGINE OIL:

Just like the other oils in our range, this formulation is designed specifically to suit the demanding conditions encountered in the marine environment, offering easier engine starting and maximum protection against wear and corrosion.

YAMALUBE GEAR OILS:

SAE90 API GL4 – Outboard Motors • SAE90 API GL5 – Stern Drives

Gears need protection just as much as the engine. Yamalube gear oils offer high strength and resistance to rust and corrosion, control foaming in the gear case and have excellent load-carrying ability under extreme pressure.

LICAL GREASE:

A premium quality, multi-purpose grease that is supremely water resistant. The advanced Lithium/Calcium formula makes it the perfect choice for all temperatures and in all service conditions.



▶ YAMALUBE					
ITEM	PART NUMBER	SIZE	ITEM	PART NUMBER	SIZE
4-Stroke outboard motor oil 10W40 FCW Anti-corrosion	YMD-63041-01-A3	12 x 1L	2-Stroke Super outboard motor oil	YMD-63021-01-A2	12 x 1L
	YMD-63041-02-A3	8 x 2L		YMD-63021-02-A2	8 x 2L
	YMD-63041-05-A3	4 x 5L		YMD-63021-05-A2	4 x 5L
	YMD-63041-20-03	20L		YMD-63021-20-02	20L
	YMD-63041-60-03	60L		YMD-63021-60-02	60L
4-Stroke outboard motor oil 10W30 FCW Anti-corrosion	YMD-63041-20-53	208L	2-Stroke outboard motor oil (biodegradable)	YMD-63021-20-52	208L
	YMD-63040-01-A3	12 x 1L		YMD-63022-01-A2	12 x 1L
	YMD-63040-02-A3	8 x 2L		YMD-63022-05-02	4 x 5L
	YMD-63040-05-A3	4 x 5L		YMD-63023-02-02	8 x 2L
	YMD-63040-20-03	20L		YMD-63023-05-02	4 x 5L
4-Stroke outboard motor oil 10W40 Fuel Economy	YMD-63040-60-03	60L	2-W 2-Stroke WaveRunner Engine Oil	YMD-63023-20-52	208L
	YMD-63040-20-53	208L		YMD-63042-01-A2	12 x 1L
	YMD-63041-01-A2	12 x 1L		YMD-63042-02-A2	8 x 2L
	YMD-63041-02-A2	8 x 2L		YMD-63042-05-A2	4 x 5L
	YMD-63041-05-A2	4 x 5L		YMD-63042-20-02	20L
4-Stroke outboard motor oil 10W30 Fuel Economy	YMD-63041-20-02	20L	SAE 90 outboard gear oil GL-4	YMD-73010-0T-A2	12 x 225mL (tube)
	YMD-63041-60-02	60L		YMD-73010-10-A2	12 x 1L
	YMD-63041-20-52	208L		YMD-73010-20-02	20L
	YMD-63040-01-A2	12 x 1L		YMD-73010-20-52	208L
	YMD-63040-02-A2	8 x 2L		YMD-73010-60-02	60L
4-Stroke outboard motor oil 10W30 Fuel Economy	YMD-63040-05-A2	4 x 5L	SAE 90 stern drive gear oil GL-5	YMD-73011-20-02	20L
	YMD-63040-20-02	20L		YMD-69010-0T-A2	12 x 225mL (tube)
	YMD-63040-60-02	60L		Yamalube grease lical 400g	400g cartridge
	YMD-63040-20-52	208L		YMD-69010-0C-01	400g cartridge
				YMD-GL4PM-P1-00	
			Gear oil pump for 1L package		

WARNING: In the event that YAMALUBE is unobtainable, always check the specifications very carefully before using an alternative lubricant. Never use a 2-stroke oil for your outboard or personal watercraft which is not specially formulated for these applications. Other oils can cause problems, notably carbon build-up in the engine, which can lead to reduced engine performance, or even severe engine damage. The “TC-W3 RL” quality level is the highest quality available for 2-Stroke Outboard motors and offers the best possible lubrication.



Casual Wear



NAUTICAL ALL WEATHER JACKET - UNISEX ▶

- Unisex hip-length heavy jacket with reflective tape • 100% polyester
- 2-layer technical fabric for protection against rain and wind • Large hood
- Pocket in collar for hood • Internal cuffs at sleeve opening • Concealed zipped front opening and pockets • Pocket in sleeve with waterproof zip
- Yamaha logo on sleeve and left front



	BROKEN WHITE/BLUE	BLUE/BROKEN WHITE
XXS	H09-QJ013-W1-2S	H09-QJ013-E8-2S
XS	H09-QJ013-W1-1S	H09-QJ013-E8-1S
S	H09-QJ013-W1-0S	H09-QJ013-E8-0S
M	H09-QJ013-W1-0M	H09-QJ013-E8-0M
L	H09-QJ013-W1-0L	H09-QJ013-E8-0L
XL	H09-QJ013-W1-1L	H09-QJ013-E8-1L
XXL	H09-QJ013-W1-2L	H09-QJ013-E8-2L



◀ NAUTICAL SOFT SHELL - UNISEX

- Unisex jacket with reflective tape • 86% polyester/14% Spandex • Wind and rain resistant 2-layered laminated soft shell fabric • Yamaha logo on back and left front

	BLUE/BROKEN WHITE	BROKEN WHITE/BLUE
XXS	H09-QJ023-E8-2S	H09-QJ023-W1-2S
XS	H09-QJ023-E8-1S	H09-QJ023-W1-1S
S	H09-QJ023-E8-0S	H09-QJ023-W1-0S
M	H09-QJ023-E8-0M	H09-QJ023-W1-0M
L	H09-QJ023-E8-0L	H09-QJ023-W1-0L
XL	H09-QJ023-E8-1L	H09-QJ023-W1-1L
XXL	H09-QJ023-E8-2L	H09-QJ023-W1-2L



◀ NAUTICAL T-SHIRT - MALE

- Short sleeve comfort fit t-shirt with crew neck • 100% cotton • Yamaha logo on left front • Single jersey

	WHITE/BLUE	BLUE/WHITE
S	H09-QT011-W1-0S	H09-QT011-E8-0S
M	H09-QT011-W1-0M	H09-QT011-E8-0M
L	H09-QT011-W1-0L	H09-QT011-E8-0L
XL	H09-QT011-W1-1L	H09-QT011-E8-1L
XXL	H09-QT011-W1-2L	H09-QT011-E8-2L



◀ NAUTICAL T-SHIRT - FEMALE

- Short sleeve fitted t-shirt with crew neck • 100% cotton • Yamaha logo on front • Single jersey

	BLUE/WHITE	WHITE/BLUE
S	H09-QT012-W1-1S	H09-QT012-E8-1S
M	H09-QT012-W1-0S	H09-QT012-E8-0S
L	H09-QT012-W1-0M	H09-QT012-E8-0M
XL	H09-QT012-W1-0L	H09-QT012-E8-0L
XXL	H09-QT012-W1-1L	H09-QT012-E8-1L

POLO – MALE ▶

- 100% cotton pique fabric • Cotton twill collar and ribbed cuffs • Blue with white collar striping • Yamaha-branded in reflective gray

	BLUE	WHITE
S	H07-0D11A-S0-4E	H07-0D11A-S0-0A
M	H07-0D11A-M0-4E	H07-0D11A-M0-0A
L	H07-0D11A-L0-4E	H07-0D11A-L0-0A
XL	H07-0D11A-1L-4E	H07-0D11A-1L-0A
XXL	H07-0D11A-2L-4E	H07-0D11A-2L-0A



◀YAMAHA LAB. KNIT JERSEY (BLUE) – MALE

- Zipped knitted jersey • Small Yamaha embroidered logo • 100% cotton

S	B09-IT111-S0-E0
M	B09-IT111-M0-E0
L	B09-IT111-L0-E0
XL	B09-IT111-1L-E0
XXL	B09-IT111-2L-E0

PORTOFINO JACKET (BY HELLY HANSEN) – MALE ▶

Premium quality hip-length coastal boating jacket that's great for wearing on shore as well. The 2-layer HellyTech® fabric is lined with mesh and taffeta for superior comfort and LIFA® Stay Dry technology is used in the collar to wick water away from the neck.

- Waterproof, breathable and fully seam-taped • Full-featured hood • Stealth cuffs to keep water out • Colour: penguin with navy & white trimmings

XS	D07-0K10A-1S-7D	L	D07-0K10A-L0-7D
S	D07-0K10A-S0-7D	XL	D07-0K10A-1L-7D
M	D07-0K10A-M0-7D	XXL	D07-0K10A-2L-7D



◀YAMAHA LAB. LONG SLEEVE (BLUE) – MALE

- Long sleeve t-shirt with ribbed cuffs • Printed Yamaha Lab. Dept. logo on front • 100% cotton with peach skin finish

S	B09-IT102-S0-E0
M	B09-IT102-M0-E0
L	B09-IT102-L0-E0
XL	B09-IT102-1L-E0
XXL	B09-IT102-2L-E0

BERMUDA SHORTS – MALE ▶

- 100% cotton canvas • Reinforced seat • 2 front pockets • 2 leg pockets with Velcro closure • 2 back pockets • Yamaha-embroidered pocket and waist label • Colour: ice or navy blue

	ICE	NAVY BLUE
XS	-	H07-1A100-XS-4E
S	H07-1A100-S0-0A	H07-1A100-S0-4E
M	H07-1A100-M0-0A	H07-1A100-M0-4E
L	H07-1A100-L0-0A	H07-1A100-L0-4E
XL	H07-1A100-1L-0A	H07-1A100-1L-4E
XXL	H07-1A100-2L-0A	-



◀YAMAHA LAB. HOODY (BLUE) – MALE

- Zipped hoody with lined hood • Appliqué Yamaha Lab. Dept. logo on front • 100% cotton with washed effect

S	B09-IT107-S0-E0
M	B09-IT107-M0-E0
L	B09-IT107-L0-E0
XL	B09-IT107-1L-E0
XXL	B09-IT107-2L-E0

ANTALYA JACKET (BY HELLY HANSEN) – FEMALE ▶

Premium quality hip-length watersports jacket with stylish, feminine fit. Great for wearing on shore. The 2-layer HellyTech fabric is lined with mesh and taffeta for superior comfort and LIFA Stay Dry technology is used in the collar to wick water away from the neck.

- Waterproof and breathable • Adjustable hood and cuffs • Colour: sea blue

XS	D07-0K20A-1S-4F	M	D07-0K20A-M0-4F
S	D07-0K20A-S0-4F	L	D07-0K20A-L0-4F



◀YAMAHA LAB. SWEATER (BLUE) – MALE

- Zipped sweater • Appliqué Yamaha Lab. Dept. logo on front • 100% cotton with washed effect

S	B09-IT113-S0-E0
M	B09-IT113-M0-E0
L	B09-IT113-L0-E0
XL	B09-IT113-1L-E0
XXL	B09-IT113-2L-E0

YAMAHA LAB. HOODY (RED) – FEMALE ▶

- Zipped hoody with lined hood • Appliqué Yamaha Lab. Dept. logo on front
- 100% cotton with washed effect

XS	B09-IT207-1S-C0	L	B09-IT207-L0-C0
S	B09-IT207-S0-C0	XL	B09-IT207-1L-C0
M	B09-IT207-M0-C0		



YAMAHA LAB. SWEATER (RED) – FEMALE ▶

- Shaped zipped sweater • Embroidered Yamaha logo on the front
- 100% cotton with washed effect

XS	B09-IT213-1S-C0	L	B09-IT213-L0-C0
S	B09-IT213-S0-C0	XL	B09-IT213-1L-C0
M	B09-IT213-M0-C0		



YAMAHA LAB. KNIT JERSEY (RED) – FEMALE ▶

- Zipped knitted jersey • Small Yamaha embroidered logo • 100% cotton

XS	B09-IT211-1S-E0	L	B09-IT211-L0-E0
S	B09-IT211-S0-E0	XL	B09-IT211-1L-E0
M	B09-IT211-M0-E0		



YAMAHA LAB. LONG SLEEVE T-SHIRT (RED) – FEMALE ▶

- Long sleeve t-shirt with ribbed cuffs • Printed Yamaha logo on the front
- 95% cotton/5% Spandex single jersey 190gsm

XS	B09-IT202-1S-C0	L	B09-IT202-L0-C0
S	B09-IT202-S0-C0	XL	B09-IT202-1L-C0
M	B09-IT202-M0-C0		



◀ BERMUDA SHORTS – FEMALE

- 91% cotton/9% Spandex • Reinforced seat • 2 front pockets • 2 leg pockets with Velcro closure • 2 back pockets • Colour: graphite gray • Yamaha-embroidered pocket and waist label

XS	H07-1A200-XS-5B	L	H07-1A200-L0-5B
S	H07-1A200-S0-5B	XL	H07-1A200-1L-5B
M	H07-1A200-M0-5B		



◀ YAMAHA LAB. HOODY (RED) – KIDS

92cm	B09-IT607-06-C0
104cm	B09-IT607-08-C0
116cm	B09-IT607-10-C0
128cm	B09-IT607-12-C0
140cm	B09-IT607-14-C0
152cm	B09-IT607-16-C0
164cm	B09-IT607-18-C0



◀ YAMAHA LAB. KNIT JERSEY (RED) – KIDS

92cm	B09-IT611-06-C0
104cm	B09-IT611-08-C0
116cm	B09-IT611-10-C0
128cm	B09-IT611-12-C0
140cm	B09-IT611-14-C0
152cm	B09-IT611-16-C0
164cm	B09-IT611-18-C0



◀ YAMAHA LAB. HOODY (BLUE) – KIDS

92cm	B09-IT607-06-E0
104cm	B09-IT607-08-E0
116cm	B09-IT607-10-E0
128cm	B09-IT607-12-E0
140cm	B09-IT607-14-E0
152cm	B09-IT607-16-E0
164cm	B09-IT607-18-E0



◀ YAMAHA LAB. KNIT JERSEY (BLUE) – KIDS

92cm	B09-IT611-06-E0
104cm	B09-IT611-08-E0
116cm	B09-IT611-10-E0
128cm	B09-IT611-12-E0
140cm	B09-IT611-14-E0
152cm	B09-IT611-16-E0
164cm	B09-IT611-18-E0



◀ YAM LAB. T-SHIRT – KIDS

- 100% cotton

RED		BLUE	
92cm	B09-IT601-06-C0	92cm	B09-IT601-06-E0
104cm	B09-IT601-08-C0	104cm	B09-IT601-08-E0
116cm	B09-IT601-10-C0	116cm	B09-IT601-10-E0
128cm	B09-IT601-12-C0	128cm	B09-IT601-12-E0
140cm	B09-IT601-14-C0	140cm	B09-IT601-14-E0
152cm	B09-IT601-16-C0	152cm	B09-IT601-16-E0
164cm	B09-IT601-18-C0	164cm	B09-IT601-18-E0



CLASSIC SWEATER - MALE ▶

- Lined zipped sweater • Traditional Yamaha “banda” graphics on the front
- Printed Yamaha logo on sleeve, shoulder, back and inside lining • 100% cotton French terry 330gsm

	BROKEN WHITE	BLACK
S	B09-0G1V3-S0-0F	B09-0G1V3-S0-9A
M	B09-0G1V3-M0-0F	B09-0G1V3-M0-9A
L	B09-0G1V3-L0-0F	B09-0G1V3-L0-9A
XL	B09-0G1V3-1L-0F	B09-0G1V3-1L-9A
XXL	B09-0G1V3-2L-0F	B09-0G1V3-2L-9A



CLASSIC POLO - MALE ▶

- Polo shirt • Traditional Yamaha “banda” graphics on the back
- Embroidered Yamaha logo on front, shoulder and back • 100% cotton pique 210gsm

	BLACK	BROKEN WHITE
S	B09-0D1V2-S0-9A	B09-0D1V2-S0-0F
M	B09-0D1V2-M0-9A	B09-0D1V2-M0-0F
L	B09-0D1V2-L0-9A	B09-0D1V2-L0-0F
XL	B09-0D1V2-1L-9A	B09-0D1V2-1L-0F
XXL	B09-0D1V2-2L-9A	B09-0D1V2-2L-0F



CLASSIC LONG SLEEVE - MALE ▶

- Long sleeve t-shirt • Traditional Yamaha “banda” graphics on the front
- Printed Yamaha logo on sleeve, shoulder, back and inside lining
- 100% cotton single jersey 180gsm

	BLACK	BROKEN WHITE
S	B09-0B1V3-S0-9A	B09-0B1V3-S0-0F
M	B09-0B1V3-M0-9A	B09-0B1V3-M0-0F
L	B09-0B1V3-L0-9A	B09-0B1V3-L0-0F
XL	B09-0B1V3-1L-9A	B09-0B1V3-1L-0F
XXL	B09-0B1V3-2L-9A	B09-0B1V3-2L-0F



◀ CLASSIC SWEATER - FEMALE

- Lined zipped sweater • Traditional Yamaha “banda” graphics on the front
- Printed Yamaha logo on sleeve, shoulder, back and inside lining
- 100% cotton French terry 330gsm

	BROKEN WHITE	BLACK
XS	B09-0G2V3-1S-0F	B09-0G2V3-1S-9A
S	B09-0G2V3-S0-0F	B09-0G2V3-S0-9A
M	B09-0G2V3-M0-0F	B09-0G2V3-M0-9A
L	B09-0G2V3-L0-0F	B09-0G2V3-L0-9A
XL	B09-0G2V3-1L-0F	B09-0G2V3-1L-9A

◀ CLASSIC POLO - FEMALE

- Polo shirt • Traditional Yamaha “banda” graphics on the back
- Embroidered Yamaha logo on front, shoulder and back
- 100% cotton pique 210gsm

	BROKEN WHITE	BLACK
XS	B09-0D2V2-1S-0F	B09-0D2V2-1S-9A
S	B09-0D2V2-S0-0F	B09-0D2V2-S0-9A
M	B09-0D2V2-M0-0F	B09-0D2V2-M0-9A
L	B09-0D2V2-L0-0F	B09-0D2V2-L0-9A
XL	B09-0D2V2-1L-0F	B09-0D2V2-1L-9A

◀ CLASSIC LONG SLEEVE - FEMALE


- Long sleeve t-shirt • Traditional Yamaha “banda” graphics on the front
- Printed Yamaha logos on sleeve, shoulder, back and inside lining
- 95% cotton/5% elastan single jersey 190gsm

	BROKEN WHITE	BLACK
XS	B09-0B2V3-1S-0F	B09-0B2V3-1S-9A
S	B09-0B2V3-S0-0F	B09-0B2V3-S0-9A
M	B09-0B2V3-M0-0F	B09-0B2V3-M0-9A
L	B09-0B2V3-L0-0F	B09-0B2V3-L0-9A
XL	B09-0B2V3-1L-0F	B09-0B2V3-1L-9A

◀ CLASSIC HOODY - KIDS

- Long sleeve hoody with contrasting coloured lined hood
- Traditional Yamaha • “banda” graphics on the front
- Printed Yamaha logos on sleeve, shoulder and back
- 100% cotton French terry 330gsm

	BROKEN WHITE	BLACK
92cm	B09-0P3V3-01-0F	B09-0P3V3-01-9A
104cm	B09-0P3V3-02-0F	B09-0P3V3-02-9A
116cm	B09-0P3V3-03-0F	B09-0P3V3-03-9A
128cm	B09-0P3V3-04-0F	B09-0P3V3-04-9A
140cm	B09-0P3V3-05-0F	B09-0P3V3-05-9A
152cm	B09-0P3V3-06-0F	B09-0P3V3-06-9A
164cm	B09-0P3V3-07-0F	B09-0P3V3-07-9A



Accessories

WATERTIGHT BAG ▶

A tough, practical bag which is ideal for any sort of boating or beach use. You want to be near the water ... but your food, drink and personal possessions do not!

- 100% watertight PVC fabric
- Capacity approx 35 litres

H07-4A000-35-4E



FLOATING SUNGLASSES ▶

- UV-400 protection lenses
- Contemporary styling
- Comfortable wrap-around design
- Secure head strap
- Ventilation slots

SILVER
YMM-6A008-00-00

BLUE
YMM-6A009-00-00



WRIST SEAL ▶

YMM-6A005-00-00



FLOATING GOGGLES ▶

- UV-400 protection lens
- Double lens with anti-fog system
- Contemporary styling
- Comfortable wrap-around design
- YAMAHA-branded head band
- Product is not 100% watertight

YMM-6A010-00-00



NEOPRENE POWER BOOTS ▶

- Strong, durable with superior grip
- Neoprene inner sock for extra warmth
- Adjustable laces

UK	EUROPE	
6	38	D09-LF003-B1-38
7	40	D09-LF003-B1-40
8	42	D09-LF003-B1-42
9	43	D09-LF003-B1-43
10	44	D09-LF003-B1-44
11	45	D09-LF003-B1-45
12	46	D09-LF003-B1-46



FLIP FLOPS ▶

35/36	N08-1D430-36-4A
37/38	N08-1D430-38-4A
39/40	N08-1D430-40-4A
41/42	N08-1D430-42-4A
43/44	N08-1D430-44-4A
45/46	N08-1D430-46-4A



◀ CAP

- 100% garment-washed cotton twill
- Adjustable Velcro strap

N08-0A103-00-0B



◀ BLUE DENIM CAP

- 100% garment-washed cotton twill
- Adjustable Velcro strap

N07-0A00A-00-4E



◀ CLOTHES HANGER

- Set of 30 pieces
- Suitable for wetsuits, vests and rash guards

YMM-6D001-00-00



◀ MUG

N08-6G030-00-4A



◀ ORIGINAL MUG

N08-6G080-00-0A



◀ FLOATING KEYCHAIN

N08-6A00B-00-4A



◀ METRO WATCH

N08-6D1A0-00-9A



◀ KEYCHAIN BLUE

N08-6A0C0-00-4A



◀ GAKI WATCH

N08-6D2A0-00-9G



◀ KEYCHAIN RED

N08-6A0C0-00-3A



◀ COOLER BAG

YMM-6B002-00-00



◀ UMBRELLA

N08-6H030-10-4A



Adventure Line



ADVENTURE FULL SUIT - MALE ▶

Ultimate warmth, comfort, style and quality in a striking colour.

- 100% super-stretch 3mm neoprene mesh body • 2.5mm arms and legs for more flexibility • Flat stitched • Flat seals on arms and legs for easy entry/exit and additional comfort • Seamless armpits • Comfortable glide-skin collar • Vest available in matching colours

S	D09-LW011-B8-0S	XL	D09-LW011-B8-XL
M	D09-LW011-B8-0M	XXL	D09-LW011-B8-2L
L	D09-LW011-B8-0L	XXXL	D09-LW011-B8-3L



ADVENTURE SHORTY - MALE ▶

This high quality, easy-to-wear shorty is warm, comfortable and stylish.

- 100% super-stretch 2.5mm neoprene mesh body • 2mm arms and legs for more flexibility • Flat stitched • Flat seals on arms and legs for easy entry/exit and comfort • Seamless armpits • Comfortable glide-skin collar • Vest available in matching colours

S	D09-LW001-B8-0S	XL	D09-LW001-B8-XL
M	D09-LW001-B8-0M	XXL	D09-LW001-B8-2L
L	D09-LW001-B8-0L	XXXL	D09-LW001-B8-3L



◀ ADVENTURE FRONT-ENTRY VEST - MALE

- CE-approved neoprene vest • Integrated webbing • Mesh panels for water drainage • Integrated back protector • D-ring for PWC emergency cord attachment • Two wide, adjustable straps • Applied soft foam for maximum comfort

S	D09-LV011-B8-0S	XL	D09-LV011-B8-XL
M	D09-LV011-B8-0M	XXL	D09-LV011-B8-2L
L	D09-LV011-B8-0L	XXXL	D09-LV011-B8-3L



◀ ADVENTURE SIDE-ENTRY VEST - MALE

- CE-approved neoprene vest • Extra padded side panels for more protection • D-ring for PWC emergency cord attachment • Applied soft foam for maximum comfort • Pull over vest with side zipper

S	D09-LV001-B8-0S	XL	D09-LV001-B8-XL
M	D09-LV001-B8-0M	XXL	D09-LV001-B8-2L
L	D09-LV001-B8-0L	XXXL	D09-LV001-B8-3L



◀ ADVENTURE LONG JOHN - MALE

A sharp new design for this classic and popular combination. Wear only the Long John in milder weather, or slip on the jacket for extra warmth.

- 2mm neoprene all over • Soft feel neoprene • Mesh body and back for superior warmth and flexibility • Ankle zipper for easy entry/exit • Padded kneepads for extra protection • Vest available in matching colours

S	D09-LW021-B8-0S	XL	D09-LW021-B8-XL
M	D09-LW021-B8-0M	XXL	D09-LW021-B8-2L
L	D09-LW021-B8-0L	XXXL	D09-LW021-B8-3L

ADVENTURE RASH GUARD – MALE ▶

A very comfortable lycra shirt designed to be worn under a wetsuit to prevent chafing. Worn on its own in milder weather, it gives added warmth and protects you from the sun and wind. Looks stylish too.

- UV protective material • Flat stitched • Seamless armpits • Comfortable and soft 4-way stretch fabric

	SHORT SLEEVE		LONG SLEEVE
S	D09-LR011-W4-0S		D09-LR021-B9-0S
M	D09-LR011-W4-0M		D09-LR021-B9-0M
L	D09-LR011-W4-0L		D09-LR021-B9-0L
XL	D09-LR011-W4-XL		D09-LR021-B9-XL
XXL	D09-LR011-W4-2L		D09-LR021-B9-2L



ADVENTURE BOARDSHORTS – MALE ▶

- Lace closure with lycra backing • Light weight and fast drying • Side pocket with Velcro closure including key lace • Water drained pocket

S	D09-LP001-W3-0S	XL	D09-LP001-W3-XL
M	D09-LP001-W3-0M	XXL	D09-LP001-W3-2L
L	D09-LP001-W3-0L	XXXL	D09-LP001-W3-3L



ADVENTURE RASH GUARD – FEMALE ▶

A very comfortable lycra shirt designed to be worn under a wetsuit to prevent chafing. Worn on its own in milder weather, it gives added warmth and protects you from the sun and wind. Looks stylish too.

- UV protective material • Flat stitched • Seamless armpits • Comfortable and soft 4-way stretch fabric

XS	D09-LR012-W4-XS	L	D09-LR012-W4-0L
S	D09-LR012-W4-0S	XL	D09-LR012-W4-XL
M	D09-LR012-W4-0M		



ADVENTURE BOARDSHORTS – FEMALE ▶

- Lace closure with lycra backing • Lightweight and fast drying

XS	D09-LP002-W3-XS	L	D09-LP002-W3-0L
S	D09-LP002-W3-0S	XL	D09-LP002-W3-XL
M	D09-LP002-W3-0M		



◀ ADVENTURE SHORTY – FEMALE

This high quality, easy-to-wear shorty is warm, comfortable and stylish.

- 100% super-stretch 2.5mm neoprene mesh body • 2mm arms and legs for more flexibility • Flat stitched • Flat seals on arms and legs for easy entry/exit and comfort • Seamless armpits • Comfortable glide-skin collar • Vest available in matching colours

XS	D09-LW002-B8-XS	L	D09-LW002-B8-0L
S	D09-LW002-B8-0S	XL	D09-LW002-B8-XL
M	D09-LW002-B8-0M		



◀ ADVENTURE LONG JOHN – FEMALE

A sharp new design for this classic and popular combination. Wear only the Long John in milder weather, or slip on the jacket for extra warmth.

- 2mm neoprene all over • Soft feel neoprene • Mesh body and back for superior warmth and flexibility • Ankle zipper for easy entry/exit • Padded kneepads for extra protection • Vest available in matching colours

XS	D09-LW022-B8-XS	L	D09-LW022-B8-0L
S	D09-LW022-B8-0S	XL	D09-LW022-B8-XL
M	D09-LW022-B8-0M		



◀ ADVENTURE SIDE-ENTRY VEST – FEMALE

- CE-approved neoprene vest • Extra padded side panels for more protection • D-ring for PWC emergency cord attachment • Applied soft foam for maximum comfort • Pull-over vest with side zipper

XS	D09-LV002-B8-XS	L	D09-LV002-B8-0L
S	D09-LV002-B8-0S	XL	D09-LV002-B8-XL
M	D09-LV002-B8-0M		

ADVENTURE FULL SUIT – YOUTH ▶

Ultimate warmth, comfort, style and quality in a striking colour.

- 3mm neoprene mesh body fabric for extra warmth • 2.5mm arms and legs for more flexibility • Seamless armpits • Comfortable glide-skin collar • Knee pads for extra protection • Comfortable flat stitch design

S	12 years	D09-LW014-B7-12
M	14 years	D09-LW014-B7-14
L	15 years	D09-LW014-B7-15
XL	16 years	D09-LW014-B7-16
XXL	17 years	D09-LW014-B7-17



ADVENTURE SHORTY – YOUTH ▶

This high quality, easy-to-wear shorty is warm, comfortable and stylish.

- 2.5mm neoprene mesh body • 2mm arms and legs for more flexibility • Seamless armpits • Comfortable glide-skin collar • Comfortable flat stitch design

S	12 years	D09-LW004-B7-12
M	14 years	D09-LW004-B7-14
L	15 years	D09-LW004-B7-15
XL	16 years	D09-LW004-B7-16
XXL	17 years	D09-LW004-B7-17



ADVENTURE VEST – YOUTH ▶

- CE-approved jacket • Designed to fit most young children

UNIVERSAL	D09-LV024-B7-00
-----------	-----------------



◀ ADVENTURE RASH GUARD – YOUTH

- UV protection, UPF 50+ rating • Flat stitch • Comfortable, soft feel • 4-way stretch fabric • 6oz fabric for coloured panels • 8oz fabric for white panels • Size 2XS/XS is equipped with a back zipper for easy entry/exit

2XS/XS	D09-LR014-E8-XS	M	D09-LR014-E8-0M
S/M	D09-LR014-E8-SM	L/XL	D09-LR014-E8-LX



◀ ADVENTURE BOARDSHORTS – YOUTH

- Lace closing with lycra backpanel • Lightweight and fast drying • Water drained pockets

XS	10 years	D09-LP004-W1-10
S	12 years	D09-LP004-W1-12
M	14 years	D09-LP004-W1-14
L	15 years	D09-LP004-W1-15
XL	16 years	D09-LP004-W1-16



◀ ADVENTURE GLOVES – UNISEX

- Short model for more freedom of movement • Padded panels on the palm of the hand • Non-slip silicon printed hand palm • Segmented finger design

XS	D09-LG033-B8-XS	L	D09-LG033-B8-0L
S	D09-LG033-B8-0S	XL	D09-LG033-B8-XL
M	D09-LG033-B8-0M	XXL	D09-LG033-B8-2L



◀ ADVENTURE NEOPRENE BEACH SHOES

- Flexible neoprene shoes • Ideal for all watersport activities • Comfortable and warm

RED	UK	EUROPE	
	6	38	D09-LF013-B7-38
	7	40	D09-LF013-B7-40
	8	42	D09-LF013-B7-42
	9	43	D09-LF013-B7-43
	10	44	D09-LF013-B7-44
	11	45	D09-LF013-B7-45
	12	46	D09-LF013-B7-46



Classic Line



CLASSIC FULL SUIT – MALE ▶

A very comfortable full suit designed to keep you warm on those cooler days.

- 3mm neoprene mesh body for extra warmth • 2.5mm arms and legs for more flexibility • Soft and stretchy neoprene • Comfortable flat stitch design
- Glide-skin seals for easy entry/exit • Seamless armpits • Comfortable glide-skin collar

	BLUE	BLACK
XS	YMM-6FCL2-XS-BL	YMM-6FCL2-XS-BK
S	YMM-6FCL2-S0-BL	YMM-6FCL2-S0-BK
M	YMM-6FCL2-M0-BL	YMM-6FCL2-M0-BK
L	YMM-6FCL2-L0-BL	YMM-6FCL2-L0-BK
XL	YMM-6FCL2-XL-BL	YMM-6FCL2-XL-BK
XXL	YMM-6FCL2-L2-BL	YMM-6FCL2-L2-BK
XXXL	YMM-6FCL2-L3-BL	YMM-6FCL2-L3-BK



CLASSIC SHORTY – MALE ▶

Perfect for when the weather gets warmer, offering comfort and protection where you need it most.

- 2.5mm neoprene mesh body for extra warmth • 2.5mm arms and legs for more flexibility • Soft and stretchy neoprene • Comfortable flat stitch design
- Glide-skin seals for easy entry/exit • Seamless armpits • Comfortable glide-skin collar

	BLUE	BLACK
XS	YMM-6SCL2-XS-BL	YMM-6SCL2-XS-BK
S	YMM-6SCL2-S0-BL	YMM-6SCL2-S0-BK
M	YMM-6SCL2-M0-BL	YMM-6SCL2-M0-BK
L	YMM-6SCL2-L0-BL	YMM-6SCL2-L0-BK
XL	YMM-6SCL2-XL-BL	YMM-6SCL2-XL-BK
XXL	YMM-6SCL2-L2-BL	YMM-6SCL2-L2-BK
XXXL	YMM-6SCL2-L3-BL	YMM-6SCL2-L3-BK



◀ DIVA FULL SUIT – FEMALE

Hot new graphics and unique DIVA design mean you will always stay warm and comfortable in ultimate style!

- 3mm neoprene mesh body for extra warmth • 2.5mm arms and legs for more flexibility • Soft-feel neoprene • Flat stitched for more comfort
- Glide-skin seals and collar for easy entry/exit and comfort • Super-stretch and seamless material under the arms for easier movement • DIVA Rash Guard available in matching colours • DIVA Vest available in matching colours

XS	YMM-6FS01-XS-LA	L	YMM-6FS01-0L-LA
S	YMM-6FS01-0S-LA	XL	YMM-6FS01-XL-LA
M	YMM-6FS01-0M-LA		



◀ DIVA SHORTY – FEMALE

The new DIVA style and colours look great in this comfortable, easy-to-wear shorty.

- 2.5mm neoprene mesh body • 2mm arms and legs for more flexibility
- Soft-feel neoprene • Flat stitched for more comfort • Glide-skin seals and collar for easy entry/exit and comfort • Super-stretch and seamless material under the arms for easier movement • DIVA Rash Guard available in matching colours • DIVA Vest available in matching colours

XS	YMM-6SL01-XS-LA	L	YMM-6SL01-0L-LA
S	YMM-6SL01-0S-LA	XL	YMM-6SL01-XL-LA
M	YMM-6SL01-0M-LA		



◀ DIVA VEST – FEMALE

The perfect match for our ladies DIVA Suit, Shorty and Rash Guard.

- CE-approved flotation device • Two wide, adjustable straps • Applied soft foam for maximum comfort • Flexible design – ideal for PWC riders • D-ring for PWC emergency cord attachment • Mesh panels for water drainage

SIZE	CHEST	WEIGHT	
XS	69–79cm	30–40kg	YMM-6VLV9-XS-00
S	76–83cm	40–60kg	YMM-6VLV9-S0-00
M	83–91cm	50–70kg	YMM-6VLV9-M0-00
L	91–99cm	60kg +	YMM-6VLV9-L0-00
XL	99–106cm	70kg +	YMM-6VLV9-XL-00

CLASSIC RASH GUARD – MALE ▶

A very comfortable lycra shirt designed to be worn under a wetsuit to prevent chafing. Worn on its own in milder weather, it gives added warmth and protects you from the sun and wind. Looks stylish too.

- UV protective material • Flat stitched • Seamless armpits • Comfortable and soft 4-way stretch fabric

XS	YMM-6S006-XS-A0	L	YMM-6S006-L0-A0
S	YMM-6S006-S0-A0	XL	YMM-6S006-XL-A0
M	YMM-6S006-M0-A0		



CLASSIC RASH GUARD – FEMALE ▶

A very comfortable lycra shirt designed to be worn under a wetsuit to prevent chafing. Worn on its own in milder weather, it gives added warmth and protects you from the sun and wind. Looks stylish too.

- UV protective material • Flat stitched • Seamless armpits • Comfortable and soft 4-way stretch fabric

XS	YMM-6SL06-XS-A0	L	YMM-6SL06-L0-A0
S	YMM-6SL06-S0-A0	XL	YMM-6SL06-XL-A0
M	YMM-6SL06-M0-A0		



CLASSIC NEOPRENE SHORTS – UNISEX ▶

Ideal when the weather's hot but you still need just a little warmth.

- Comfortable and very flexible • 2mm neoprene • Adjustable waist buckle ensures a perfect fit

XS	YMM-6S005-XS-A0	L	YMM-6S005-L0-A0
S	YMM-6S005-S0-A0	XL	YMM-6S005-XL-A0
M	YMM-6S005-M0-A0	XXL	YMM-6S005-L2-A0



CLASSIC GLOVES – UNISEX ▶

- Very comfortable • Protective PVC knuckle • Non-slip palms • Adjustable velcro wrist strap

XS	D09-KG033-B1-XS
S	D09-KG033-B1-0S
M	D09-KG033-B1-0M
L	D09-KG033-B1-0L
XL	D09-KG033-B1-XL
XXL	D09-KG033-B1-2L



CLASSIC NEOPRENE BEACH SHOES – UNISEX ▶

- Flexible neoprene shoes • Ideal for all watersport activities • Comfortable and warm

BLUE		
UK	EUROPE	
6	38	D09-KF013-B4-38
7	40	D09-KF013-B4-40
8	42	D09-KF013-B4-42
9	43	D09-KF013-B4-43
10	44	D09-KF013-B4-44
11	45	D09-KF013-B4-45
12	46	D09-KF013-B4-46



◀ ESCAPE VEST

- CE-approved boating vest • 2 wide adjustable straps • D-ring for PWC emergency cord attachment • Thick front panel for safety • Mesh panels for water drainage

SIZE	CHEST	WEIGHT	
XS	70-80cm	40-50kg	YMM-6VBK8-XS-00
S	80-90cm	50-60kg	YMM-6VBK8-S0-00
M	90-100cm	60kg +	YMM-6VBK8-M0-00
L	100-110cm	70kg +	YMM-6VBK8-L0-00
XL	110-120cm	70kg +	YMM-6VBK8-XL-00
XXL	120-130cm	70kg +	YMM-6VBK8-L2-00
XXXL	130-140cm	70kg +	YMM-6VBK8-L3-00

◀ 4-BUCKLE VEST BLUE & RED

- CE-approved professional flotation device • Four adjustable straps and buckles • Soft side foam for maximum comfort

BLUE			
SIZE	CHEST	WEIGHT	
XS	70-80cm	40-50kg	D09-KV023-E8-XS
S	80-90cm	50-60kg	D09-KV023-E8-0S
M	80-100cm	60-70kg	D09-KV023-E8-0M
L	90-100cm	70kg +	D09-KV023-E8-0L
XL	100-110cm	70kg +	D09-KV023-E8-XL
XXL	110cm +	70kg +	D09-KV023-E8-2L
XXXL	120cm +	70kg +	D09-KV023-E8-3L

RED			
SIZE	CHEST	WEIGHT	
XS	70-80cm	40-50kg	D09-LV023-B8-XS
S	80-90cm	50-60kg	D09-LV023-B8-0S
M	80-100cm	60-70kg	D09-LV023-B8-0M
L	90-100cm	70kg +	D09-LV023-B8-0L
XL	100-110cm	70kg +	D09-LV023-B8-XL
XXL	110cm +	70kg +	D09-LV023-B8-2L
XXXL	120cm +	70kg +	D09-LV023-B8-3L



◀ UNIVERSAL VEST BLUE & RED

- CE-approved flotation device • Three adjustable straps and buckles • Will fit most adults

BLUE			
SIZE	CHEST	WEIGHT	
UNIV.	75-130cm	40-100kg	YMM-6V002-UN-B0

RED			
SIZE	CHEST	WEIGHT	
UNIV.	75-130cm	40-100kg	D09-LV023-B7-00



RACER SIDE-ENTRY VEST BLUE ▶

- CE-approved flotation device • Adjustable side-entry straps • Applied soft foam for maximum comfort • Flexible design - ideal for PWC riders • D-ring for PWC emergency cord attachment

SIZE	CHEST	WEIGHT	
S/M	80-100cm	50-70kg	D09-KV033-E8-SM
L/XL	100-120cm	70kg +	D09-KV033-E8-LX
XXL/XXXL	120-140cm	70kg +	D09-KV033-E8-2L



◀ 100 NEWTON RACING VEST

- CE-approved 100 Newton Vest • 600D polyester for extra strength • Extra reflective panels • D-ring for emergency cord attachment • Non clog whistle for safety • Supplied with crotch straps • Light and flexible foam • Meets Spanish governmental requirements

SIZE	CHEST	WEIGHT	
M	96-107cm	50-70kg	YMM-100N0-M0-00
L	107-117cm	70kg +	YMM-100N0-L0-00
XL	117-127cm	70kg +	YMM-100N0-XL-00

PITCH VEST BLUE & RED ▶

- CE-approved professional flotation device • Four adjustable straps and buckles

BLUE			
SIZE	CHEST	WEIGHT	
S/M	80-100cm	50-70kg	YMM-6V003-SM-A0
L/XL	100-110cm	70kg +	YMM-6V003-LX-A0
XXL/XXXL	110-135cm	70kg +	YMM-6V003-23-XL

RED			
SIZE	CHEST	WEIGHT	
S/M	80-100cm	50-70kg	D09-LV023-B7-SM
L/XL	100-110cm	70kg +	D09-LV023-B7-LX
XXL/XXXL	110-135cm	70kg +	D09-LV023-B7-XL



BOATING VEST ▶

The ideal vest for children or small adults. Fitted with safety grab-strap at rear of neck.

- CE-approved boating vest • Strong nylon outer cover • Lightweight foam inner • Reflective panels • Non-clog whistle
- D-ring for crotch straps supplied

SIZE	CHEST	WEIGHT	YELLOW
Baby	51-58cm	-20kg	YMM-6VA06-BA-YE
Child	58-66cm	-20kg	YMM-6VA06-CH-YE
Large Child	66-76cm	20-30kg	YMM-6VA06-LC-YE
Junior	76-86cm	30-40kg	YMM-6V006-JU-YE



ORANGE		
YMM-6V007-BA-OR		
YMM-6V007-CH-OR		
YMM-6V007-LC-OR		
YMM-6V007-JU-OR		



SIZE	CHEST	WEIGHT	YELLOW
S	86-96cm	40-50kg	YMM-6V007-S0-YE
M	96-107cm	50-70kg	YMM-6V007-M0-YE
L	107-117cm	70kg +	YMM-6V007-L0-YE
XL	117-127cm	70kg +	YMM-6V007-XL-YE



ORANGE		
YMM-6V007-S0-OR		
YMM-6V007-M0-OR		
YMM-6V007-L0-OR		
YMM-6V007-XL-OR		



67 COMBO PAIR PACKAGES ▶

If you're looking for a more manoeuvrable pair of skis, this combo pair has been super-shaped to make them lighter and livelier.

- Tunnel bottom • More stability for deep-water starts • Skis designed to cut easier across the wake • Comfortable adjustable bindings • Slalom toe for use as a mono ski • Size: 170cm/67"

YMM-9W002-00-00 Including Vest & Rope

59 COMBO PAIR PACKAGES ▶

- Size: 150cm/59" • Deluxe rim combo pair for people up to 72kg • Tunnel-bottomed for more stability

YMM-9W001-00-00 Including Vest & Rope




BEL AIR WAKEBOARD PACKAGES ▶

A board with all the features to take you from beginner to advanced level.

- Two half-inch moulded plastic fins for stability • User-friendly bottom and shape make it easy to learn on • 3-stage 7cm/2.7" rocker for explosive pop when you're ready to progress • Dimensions: 140cm/55" length; 42cm/16.7" centre width; 25cm/10" tip and tail width

YMM-9W003-00-00 Including Response Boots & Rope



RESPONSE BOOTS ▶

Ease of entry and adjustability make these bindings unrivalled in this price range.

- One-piece overlay means they can be used by almost anyone • Floating tongue and front lace can be adjusted to suit height and length of any foot

Standard YMM-6F003-ST-00
XL YMM-6F003-XL-00



ACCESS WAKE SANDALS ▶

Wakeboarding bindings designed for the whole family.

- Easy to get in and out of on ski platform or in the water • Universal size fits all while retaining good ankle support



UNIV. YMM-6F005-UN-00



WATERSKI SPARE PARTS ▶

- Front Toe • Squeeze Heel

SPARES 59 FRONT TOE (A) YMM-6WJ04-00-00
SPARES 67 SQUEEZE HEEL (B) YMM-6WJ05-00-00
YMM-6W004-00-00 YMM-6W005-00-00



◀ TOWABLE SPARE PARTS

Boston valve (A)
YMM-6T008-00-00

Compressor adaptor (B)
YMM-6T009-00-00



◀ WEB BRIDLE

- Ski towing triangle • Two stainless steel clip-on hooks • Sliding roll for optimal performance

YMM-9A0B1-00-00



◀ WRIST SEAL

- Neoprene wrist band for safety cord attachment

YMM-6A005-00-00



◀ TOURNAMENT II

- 21m/70ft of strong 12-strand line • Smooth 27cm/11" wide non-slip handle • Rounded grip-ends for finger protection

YMM-6A002-00-00



◀ 1-2 PERSON TOW ROPE FOR INFLATABLES

- 15m/50ft of strong towing line • Line float and stainless steel clip-on hook

YMM-6A003-00-00



◀ FOOT PUMP

- With Halkey Roberts nozzle • Size: 32cm/12.5" • Capacity 2000cc

YMM-6A006-10-00



◀ AIR PUMP

- Air Pump 12V

YMM-9A007-00-00



◀ MAGNUM BRIDLE

- Towable towing triangle • Two stainless steel clip-on hooks • Sliding ring for optimal performance

YMM-9A0B2-00-00



◀ WAKESTARTER

- 21m/70ft of strong 16-strand line • Smooth 38cm/15" wide non-slip handle • Rounded grip-ends for finger protection

YMM-9A003-00-00



◀ RECREATIONAL TOW ROPE

- Smooth 27cm/11" wide non-slip handle • 21m/70ft of 8-strand recreational line

YMM-6A001-00-00



◀ 3-6 PERS TOW ROPE FOR INFLATABLES

- 17m/55ft of strong towing line • Line float and stainless steel clip-on hook

YMM-9T0MR-00-00



◀ GIANT MARKER BUOY

- High-quality racing marker • Heavy gauge PVC • Stainless steel eye for anchoring • Two air chambers - lower one can be filled with water for more stability

YMM-6T007-00-A1

WAVERUNNER ▶

Designed to look like our famous WaveRunner, this is exhilarating to ride and will certainly get heads turning.

- Carries one or two people • 5 air chambers • Two molded handles at the front, two molded handles at the back • Two drain floors • Foot wells • Boston valve for quick inflation and deflation • Size: 214cm x 142cm/85" x 56" • Rider capacity: 2 persons

YMM-9T002-00-E0	
Spare Cover	YMM-9P002-01-E0
Spare Innertube	YMM-9P002-02-E0



◀ FUNTUBE

A deluxe round tube that can provide all the fun you can handle.

- Heavy-duty PVC inner with welded seam • 4 Deluxe handles with neoprene knuckle guards • Boston valve for quick inflation and deflation • Double-stitched nylon cover • Internal tow harness and drain floor • Size: 137cm/54" • Rider capacity: 1 person

YMM-9T001-00-E0	
Spare Cover	YMM-9P001-01-E0
Spare Innertube	YMM-9P001-02-E0

ASTEROID ▶

Mega fun, offering plenty of room for you and your friends to have a great time.

- Strong PVC inner fully covered in stitched nylon • Oversized neoprene panels for superior ride comfort • Low profile makes it easy to climb into from the water • 8 Deluxe handles with neoprene knuckle guards • Boston valve for quick inflation and deflation • Size: 178cm/70" • Rider capacity: 2 persons

YMM-9T003-00-E0	
Spare Cover	YMM-9P003-01-E0
Spare Innertube	YMM-9P003-02-E0



◀ METEOR

A deluxe tube that can provide all the fun you can handle.

- Heavy-duty nylon cover • 2 Deluxe handles with neoprene knuckle guards • Boston valve for quick inflation and deflation • Internal tow harness • Size: 137cm x 89cm/54" x 35" • Rider capacity: 1 person

YMM-9T006-00-E0	
Spare Cover	YMM-9P006-01-E0
Spare Innertube	YMM-9P006-02-E0

3-MAN SHUTTLE ▶

- Fully covered, shuttle-shaped, towable • Ergonomically shaped main chamber for water flow • 3 air chambers with reinforced Boston valves • 3 comfortable neoprene non-slip SEAT-pad and handle • Flat bottom structure with nylon webbing • Size: 302cm/119" • Rider capacity: 3 persons

YMM-9T005-00-E0	
Spare Cover	YMM-9P005-01-E0
Spare Innertube	YMM-9P005-02-E0
Spare Inner Floor	YMM-9P005-03-E0
Spare Inner Backrest	YMM-9P005-04-E0



◀ CHARIOT

This chariot-style ring is not only great fun but also extremely easy to get into thanks to its open back.

- Fully covered nylon tube • 4 Deluxe handles with neoprene knuckle guards • Boston valve for quick inflation and deflation • Comfortable neoprene floor • 2 air chambers • Heavy-duty PVC inner with welded seams • 2 water drains and equipped with a Boston valve • Size: 170cm x 147cm/67" x 58" • Rider capacity: 2 persons

YMM-9T004-00-E0	
Spare Cover	YMM-9P004-01-E0
Spare Innertube	YMM-9P004-02-E0
Spare Inner Floor	YMM-9P004-03-E0

5-MAN GLIDE ▶

More fun for more people on this great looking, high-quality banana.

- Fits one to five riders • Constructed from vinyl coated PVC • Durable for ocean use • Minimal resistance design and super stable • Thermo bonded seams • Double tow point • 3 air chambers with Halkey Roberts valve • Repair kit included • Size: 440cm/173" • Rider capacity: 5 persons

YMM-6T011-11-00



◀ CAPSULE

- Fully covered nylon tube • 2 Deluxe handles with neoprene knuckle guards • Boston valve for quick inflation and deflation • 3 air chambers • Heavy-duty PVC inner with welded seams • Water drains and equipped with a Boston valve • Size: 170cm x 129cm/67" x 51" • Rider capacity: 1 person

YMM-9T007-00-E0	
Spare Cover	YMM-9P007-01-E0
Spare Innertube	YMM-9P007-02-E0
Spare Inner Floor	YMM-9P007-03-E0
Spare Backrest	YMM-9P007-04-E0



Propellers

► RIGGING AND PROPELLERS – USEFUL INFORMATION

RIGGING THE OUTBOARD



When mounting the motor (or motors) two basic measuring principles are involved, and getting these right is important to gain maximum performance and efficiency from both hull and engine. The first is the horizontal (left-to-right) measurement, and the second is the vertical (up-and-down) positioning.

i] Horizontal measurement: In the case of a single engine, most boats require an exact centre location, in some cases a slight offset to starboard is required. For a twin engine installation, BOTH engines must be an EQUAL distance from the same centre point of the transom.

ii] Vertical measurement: The vertical position of the engine relative to the boat hull, determines the degree of cavitation (air in the propeller stream). Choice of position will depend on the shape and type of hull, and how the boat is to be used (speed, cruising, fishing, transport etc).

PROPELLERS – SOME BASIC FACTS

- Pitch: Using the analogy of any screw that advances through a solid substance (such as wood) the distance the screw would have travelled forwards after one complete revolution is measured in inches and known as the Pitch.
- Effects of Diameter and Pitch: Propellers with larger diameters and smaller pitches are used for boats where the requirement is for lower speed but maximum power through the water. Conversely, a higher speed planing boat would use a smaller diameter propeller of larger pitch.
- Blade Rake: This is the angle at which the blade is attached to the propeller hub. An increased blade rake will improve the performance of engines with a higher elevation or in situations where ventilating and controlled cavitation occur.



► CHOOSING THE RIGHT PROPELLER FOR THE JOB

The most essential requirement: A propeller should be selected that will allow the engine speed, when at full throttle, to stay within the rated rpm range at which the engine is designed to operate. In the case of Yamaha Four Stroke is 5,000 – 6,000 rpm.

By choosing from the options in the reference table, a propeller can be found that is the perfect match for the operating conditions and hull performance of any boat.

Transport and workboats: Generally speaking, a smaller outboard with a boat of relatively heavy displacement or with a semi-planing hull, will need a propeller with larger diameter, smaller pitch, smaller rake and larger blade surface area. Make sure the propeller allows the engine to stay within the rated engine speed range at full throttle, even when heavily loaded.

Cruising and fishing: For best fuel economy, low noise and high engine durability, choose a propeller that allows the engine to operate at the lower end of the rated engine RPM range when at full throttle. Usually, a larger pitch propeller will be required.


Waterskiing and wakeboarding: Maximum speed of acceleration is needed to pull a skier out of the water, so a propeller should be selected which allows the engine to operate near the upper limit of the rated engine RPM range at full throttle, WHEN NO SKIER IS BEING TOWED. Warning: Only actually operate with partial throttle under these no-load conditions (watch the tachometer!) so that the engine rpm limit is not exceeded.

Sportsboats and runabouts: Maximum top speed and acceleration are needed for this type of boat, so a propeller should be selected which allows the engine to operate slightly below the upper limit of the rated engine RPM range when at full throttle. High rake angle and cupping, can improve the overall performance in this application.

MORE PROPELLER FACTS

Twin outboard installation: A counter-rotation propeller (anti-clockwise when viewed from the stern) is fitted to the port side outboard, and a standard propeller to the starboard side. This ensures neutral helm and easy manoeuvrability, by counter-balancing the turning forces inherent in the propellers.

Outboard mounting height and trim angle are critical for top performance, particularly on a high-speed boat, so adjustments and testing with several propeller types are needed to establish the optimum settings.



► GENERAL, OFFSHORE AND SPORT



◀ PLASTIC/ALUMINIUM SERIES

Although plastic/aluminium is the lowest-cost option for most engines, these Yamaha propellers provide better performance than other plastic/aluminium propellers because of their precise matching to Yamaha engines. The light weight and lower cost also makes aluminium propellers an excellent choice as a spare propeller, in case striking an underwater object accidentally damages the primary propeller.



◀ STANDARD BLACK STAINLESS STEEL SERIES

These propellers are designed as excellent general-purpose propellers. The steel construction allows for a blade that is thinner, more efficient and more durable than an aluminium propeller. The painted blades both reduce the cost and provide longer zinc anode life in saltwater, by reducing the exposed dissimilar metal surface. They are available in both standard right-hand rotation and (from F115 and higher) as left-hand rotation for twin engine applications.



◀ RELIANCE SERIES

A new line-up of polished stainless steel propellers that offer more 'aggressive' performance than the Standard Black Steel Series and which are designed for operation with the more powerful engines, from 150hp upwards. They offer excellent performance under a wide range of conditions. Available in standard right-hand configuration and also with left-hand rotation for twin-engine installations.

► GENERAL, OFFSHORE AND SPORT

SALTWATER SERIES ►

This is the top-of-the-range propeller designed for larger boats using larger engines, such as twin-engine offshore fishing boats. The Saltwater Series features a highly polished, larger diameter design. The aggressive rake angle and extra cupping on blades provide superior mid-range fuel efficiency, along with excellent anti-cavitation performance. To the offshore fisherman, this means improved cruising range and better handling in rough seas. The most efficient engine response is maintained for excellent overall performance. These propellers are available in five pitch sizes with either matching right or left-hand rotation for single or twin-engined boats. They will fit V6 engines from 150 to 300hp and the new V8-powered F350 (see special applications - page 33).



PERFORMANCE SERIES 3-BLADE AND 4-BLADE ►

If you want to get more from your engine, these specialized polished steel propellers are the next step up from the Standard Black Stainless Steel Series. They can enhance performance of certain boats and can improve their ability to handle particular conditions.



These propellers are generally more 'aggressive' than the Standard Black Series, so we recommend you select a pitch size one inch lower than the standard propeller. If you were previously using a Pro or Saltwater Series propeller, you should select a pitch size one inch higher.



3-Blade - This is available for engines from 20hp up to 80hp and beyond, and is available with a left-handed rotation for twin-engine boats.

4-Blade - This is the ideal choice for rougher conditions and gives improved acceleration (although this will result in a slight reduction in top speed), which makes it perfect for water-skiing or wakeboarding. It's available for engines of 80hp and higher.

PRO SERIES ►

This is the top-of-the-range propeller. It is specifically designed for single engine, high-speed boats that require "bow lift" and significant engine-mounting heights, such as bass boats. The Pro Series propeller blades are designed with high rake angles, progressive pitch and aggressive cupping for excellent midrange and top-end performance. The exhaust tube includes specially-designed relief holes to improve low-speed acceleration. The Pro Series is available in three pitch sizes for the 60 to 130hp models, and four pitch sizes for the 150 to 300hp models. In addition, there are three specially designed propellers for the VMAX and VMAX HPDI engines.



VMAX SERIES ►

This is the ultimate propeller in our range and is designed to maximize the power of our VMAX engines. Its high-performance characteristics include superior acceleration and top speed. Due to the higher rake angle than the Pro Series, these propellers are the perfect choice for boats with a natural bow lift. (Available in pitches 23" to 29").



► SPECIAL APPLICATIONS

◄ SALTWATER SERIES XL FOR F350

Large Heavy boats need to move more water. New Saltwater series propellers were developed especially for this revolutionary new V8-powered engine which have larger diameter and greater blade surface area to cope efficiently with the huge power of the F350.



◄ SALTWATER SERIES HS4

Polished stainless steel propeller with 4-blade for conventional V6 3.1L and 3.3L engines between 200 and 300 ps. (except VMAX series). Compared with the conventional 3-blades propeller, 4-blades make larger propeller blade surface area, which can catch much more water and obtain higher thrust performance. As a result, this propeller will obtain better acceleration and stability operation under rough water. However, generally boat top speed performance is slightly behind compared with 3-blades propeller. L/H rotation propellers are available.



◄ DUAL THRUST SERIES

Specially designed for sailboats and other large-displacement craft, Yamaha's patented Dual Thrust propellers are built to handle the job of pushing heavy loads through water. The hub is carefully designed to redirect exhaust flow away from the blades, so Dual Thrust models cut through "clean water" for higher efficiency and better acceleration. Thrust is improved by up to 70% in reverse, and by 10% forwards. It is recommended that you contact an authorised Yamaha Dealer for advice on installation.



◄ HIGH-PERFORMANCE SERIES

Specially designed for light hulls this propeller features sharp, narrow blades operating half-way above the water's surface. One of the characteristics of the High-Performance propeller is the overhub exhaust. It will fit all engines between 60 and 300hp.



Incorrect use of High-Performance propellers can lead to engine damage. Always contact your authorised YAMAHA Dealer for advice on installation.

► PROPELLERS

OUTBOARD MODEL	PART NUMBER	DIAM.	PITCH	TYPE	SERIES	OUTBOARD MODEL	PART NUMBER	DIAM.	PITCH	TYPE	SERIES
M11	MKY-00137-81-21				Plastic	4A	6E0-45949-00-EL	7¼	6½	BA	Aluminium
M12/M14/M16/M18	MKY-00137-81-26				Plastic	5C ('92-)	6E0-45943-01-EL	7½	7	BA	Aluminium
M20/M26	MKY-00137-81-22				Plastic	F4A	6E0-45941-01-EL	7½	8	BA	Aluminium
M32	MKY-00137-81-29				Plastic	6A/B/8A/B	655-45949-00-EL	9	5	C	Aluminium
2A/B	6A1-45943-00-00	7¼	4	A	Plastic		655-45947-01-EL	9	5½	C	Aluminium
	646-45944-01-EL	7¼	4½	A	Aluminium		655-45945-00-EL	9	6¼	C	Aluminium
	6F8-45942-01-EL	7¼	5	A	Aluminium		647-45943-00-EL	9	7	C	Aluminium
	646-45942-01-EL	7¼	5½	A	Aluminium		655-45943-00-EL	9	7½	C	Aluminium
F2.5A/3A (MALTA)	6L5-45949-00-EL	7¼	5	BS	Aluminium		647-45947-00-EL	9	9	C	Aluminium
	6L5-45952-00-EL	7¼	5½	BS	Aluminium		647-45941-00-EL	9¼	9¼	C	Aluminium
	6L5-45943-00-EL	7¼	6	BS	Aluminium	6C/D/8C	6G1-45947-00-EL	8½	6½	N	Aluminium
	6L5-45945-00-EL	7¼	7¼	BS	Aluminium	F6A/B/F8C	6G1-45943-00-EL	8½	7½	N	Aluminium
	6L5-45947-00-EL	7¼	8¼	BS	Aluminium		6G1-45952-00-EL	8½	8	N	Aluminium
4A/B	644-45941-01-EL	7¼	5	B	Aluminium		6G1-45941-00-EL	8½	8½	N	Aluminium
5B/C (-'91)	654-45941-01-EL	7¼	6½	B	Aluminium		6G1-45954-00-EL	8½	9¼	N	Aluminium
	6E0-45943-00-EL	7¼	7	B	Aluminium		6G1-W4592-00-EL	9	5	N	Dual Thrust - Aluminium
	654-45943-01-EL	7¼	7¼	B	Aluminium		6G1-W4591-01-EL	9	7	N	Dual Thrust - Aluminium
	6E0-45941-00-EL	7¼	8	B	Aluminium						
	6E0-45947-00-EL	7¼	8¼	B	Aluminium						

► SPECIAL APPLICATIONS

OUTBOARD MODEL	PART NUMBER	DIAM.	PITCH	TYPE	SERIES
FT8D	69G-45941-00-EL	11%	5%	R	Dual Thrust - Aluminium
F8A	69G-45943-00-EL	11%	7	R	Dual Thrust - Aluminium
F9.9A	6G8-45947-00-EL	11%	9%	R	Dual Thrust - Aluminium
FT9.9A/D	6G8-45943-00-00	11%	9%	R	Dual Thrust - Plastic
	6G8-45941-00-00	11%	11	R	Dual Thrust - Plastic
	6G8-45945-00-00	11%	12%	R	Dual Thrust - Plastic
9.9C/D/F	683-45949-00-EL	9%	6½	J	Aluminium
15C/D/F	683-45947-00-EL	9%	8	J	Aluminium
F8B/F9.9B	63V-45945-00-EL	9%	9	J	Aluminium
F9.9C/F15A	63V-45947-00-EL	9%	8%	J	Aluminium
F15C/F20B	683-45945-00-EL	9%	9	J	Aluminium
9.9B/15B	683-45952-00-EL	9%	9%	J	Aluminium
	63V-45952-00-EL	9%	10	J	Aluminium
	683-45943-00-EL	9%	10½	J	Aluminium
	63V-45943-00-EL	9%	11	J	Aluminium
	683-45941-00-EL	9%	12	J	Aluminium
	683-W4592-02-EL	9%	6½	J	Dual Thrust - Aluminium
	683-W4591-02-EL	9%	8	J	Dual Thrust - Aluminium
9.5A/12A/15A	650-45945-60-EL	9%	5	D	Aluminium
20A/B/25A	626-45945-01-EL	9%	6	D	Aluminium
	626-45945-60-EL	9%	6½	D	Aluminium
	650-45943-60-EL	9%	7	D	Aluminium
	650-45941-60-EL	9%	8	D	Aluminium
	626-45949-60-EL	9%	9	D	Aluminium
	651-45947-60-EL	9%	10	D	Aluminium
	656-45943-61-EL	9%	11½	D	Aluminium
	684-45943-61-EL	9%	11½	D	Aluminium
20C/D	664-45943-01-EL	9%	8	F	Aluminium
25B/D/J/N/V	664-45941-01-EL	9%	9	F	Aluminium
25A	62C-45941-00-EL	9%	10	F	Aluminium
30A/D/G/H	664-45945-00-EL	9%	10½	F	Aluminium
F20A/F25A	664-45947-01-EL	9%	11½	F	Aluminium
	664-45954-01-EL	9%	12	F	Aluminium
	664-45949-02-EL	9%	13	F	Aluminium
	664-45952-00-EL	9%	14	F	Aluminium
	6J8-W4591-00-EL	10%	8½	F	Dual Thrust - Aluminium
	664-45972-00-98	9%	12	F	Standard Black SST
	664-45970-00-98	9%	13	F	Standard Black SST
	MAR-GYT38-02-12	10%	12	F	Performance 3-Blade SSTP
	MAR-GYT38-02-13	10%	13	F	Performance 3-Blade SSTP
	MAR-GYT38-02-14	10%	14	F	Performance 3-Blade SSTP
FT25B	68U-45941-00-EL	12½	9	G	Dual Thrust - Aluminium
25Q	63D-45941-00-EL	12½	8	G	Aluminium
40B/C/D/F/H/Q/V/X/Y	663-45956-01-EL	12½	9	G	Aluminium
40A/B	663-45954-01-EL	11%	10	G	Aluminium
F30A/F40A/B/C/F45A	69W-45947-00-EL	11%	11	G	Aluminium
F50A/F/F60A/C	663-45952-02-EL	11%	12	G	Aluminium
50C/D/G/H	69W-45952-00-EL	11%	12	G	Aluminium
PRO50/C	69W-45945-00-EL	11%	13	G	Aluminium
55A/B	663-45958-01-EL	11%	14	G	Aluminium
	69W-45943-00-EL	11	15	G	Aluminium with Alumite treatment NEW
	69W-45A45-00-00	11%	13	G	Aluminium with Alumite treatment NEW
	69W-45A52-00-00	11%	12	G	Aluminium with Alumite treatment NEW
	69W-45A47-00-00	11%	11	G	Aluminium
	663-45949-01-EL	10%	16	G	Aluminium
	663-45941-01-EL	10%	17	G	Aluminium
	6H5-45952-00-EL	10%	12	G	Aluminium - with lip cup
	6H5-45945-00-EL	10%	13	G	Aluminium - with lip cup
	6H5-45958-00-EL	10%	14	G	Aluminium - with lip cup
	6H5-45943-00-EL	10	15	G	Aluminium - with lip cup
	663-45972-60-98	12	11	G	Standard Black SST
	663-45970-60-98	11%	12	G	Standard Black SST
	663-45974-02-98	10%	13	G	Standard Black SST
	663-45974-60-98	11%	13	G	Standard Black SST
	663-45930-00-98	10%	14	G	Standard Black SST
	697-45970-00-98	11%	14	G	Standard Black SST
	663-45976-00-98	10%	15	G	Standard Black SST
	663-45978-00-98	10%	16	G	Standard Black SST
	MAR-GYT38-03-13	10%	13	G	Performance 3-Blade SSTP
	MAR-GYT38-03-15	10%	15	G	Performance 3-Blade SSTP


OUTBOARD MODEL	PART NUMBER	DIAM.	PITCH	TYPE	SERIES
FT60B/D	68S-45941-00-EL	14	11	K	Dual Thrust - Aluminium
60F/70B	6E5-45954-00-EL	14	11	K	Aluminium
75A/C	6E5-45949-00-EL	13%	13	K	Aluminium
80A/85A/90A/100A	6E5-45958-00-EL	13%	14	K	Aluminium
115A/B/C	6E5-45947-00-EL	13½	15	K	Aluminium
130A/B/140A/B/C	6E5-45945-01-EL	13½	17	K	Aluminium
PRO 75/C/100A	6E5-45941-00-EL	13	19	K	Aluminium
FT50B/C/G	6E5-45943-00-EL	12%	21	K	Aluminium
F80A/B/F100A/D/	6E5-45952-00-EL	13	23	K	Aluminium
F115A	6E5-45956-00-EL	13	25	K	Aluminium
	688-45932-60-98	13½	14	K	Standard Black SST
	688-45978-60-98	13½	16	K	Standard Black SST
	688-45930-02-98	13	17	K	Standard Black SST
	688-45970-03-98	13	19	K	Standard Black SST
	688-45972-02-98	13	21	K	Standard Black SST
	688-45974-02-98	13	23	K	Standard Black SST
	688-45976-01-98	13	25	K	Standard Black SST
	MAR-GYT38-V4-16	13½	16	K	Performance 3-Blade SSTP
	MAR-GYT38-V4-18	13½	18	K	Performance 3-Blade SSTP
	MAR-GYT38-V4-20	13½	20	K	Performance 3-Blade SSTP
	MAR-GYT38-V4-22	13½	22	K	Performance 3-Blade SSTP
	MAR-GYT38-V4-24	13½	24	K	Performance 3-Blade SSTP
	MAR-GYT4B-V4-18*	13%	18	K	Performance 4-Blade SSTP
	MAR-GYT4B-V4-20*	13%	20	K	Performance 4-Blade SSTP
	MAR-GYT4B-V4-22*	13%	22	K	Performance 4-Blade SSTP
	MAR-GYT4B-V4-23*	13%	23	K	Performance 4-Blade SSTP
	62A-45974-10-00	13%	19	K	Pro SSTP
	62A-45970-10-00	13½	21	K	Pro SSTP
	62A-45972-10-00	13%	23	K	Pro SSTP
	6E5-45970-10-00*	14	20	P	High Performance SSTP
	6E5-45976-10-00*	14	22	P	High Performance SSTP
	6E5-45972-10-00*	14	24	P	High Performance SSTP
	6E5-45978-10-00*	14	26	P	High Performance SSTP
	6E5-45974-10-00*	14	28	P	High Performance SSTP
FL115A	6L6-45930-01-98	13	17	KL	Standard Black SST - CR
L130A/B/L140A/B/C	6L6-45970-00-98	13	19	KL	Standard Black SST - CR
	6L6-45972-00-98	13	21	KL	Standard Black SST - CR
	MAR-GYT38-L4-18	13½	18	KL	Performance 3 Blade - CR SSTP
	MAR-GYT38-L4-20	13½	20	KL	Performance 3 Blade - CR SSTP
	MAR-GYT38-L4-22	13½	22	KL	Performance 3 Blade - CR SSTP
VMAX 150/D150H	65N-45941-00-00	14	25	MR	TRP (Front) SSTP
	65N-45943-00-00	13	25	MF	TRP (Rear) SSTP
	65N-45945-00-00	14	27	MR	TRP (Front) SSTP
	65N-45947-00-00	13	27	MF	TRP (Rear) SSTP
150A/C/F	6G5-45941-00-98	15½	15	M	Aluminium
200A/B/F/G	6G5-45947-02-98	14½	17	M	Aluminium
220A	6G5-45945-01-98	14	19	M	Aluminium
225A/B/C/D	6G5-45943-01-98	13%	21	M	Aluminium
250A/B	6G5-45949-00-98	13%	23	M	Aluminium
PRO V200	6G5-45932-00-98	15%	13	M	Standard Black SST
HPD1150/HPD1175	6G5-45970-02-98	15%	15	M	Standard Black SST
HPD1200	6G5-45978-03-98	13%	17	M2	Standard Black SST
F150A	6G5-45974-03-98	13%	19	M2	Standard Black SST
F200A/F225A	6G5-45972-02-98	13%	21	M	Standard Black SST
HPD1250/HPD1300	6G5-45976-01-98	13%	23	M	Standard Black SST
	6G5-45930-00-98	13%	25	M	Standard Black SST
	MAR-GYT38-V6-16	14%	16	M	Performance 3-Blade SSTP
	MAR-GYT38-V6-18	14%	18	M	Performance 3-Blade SSTP
	MAR-GYT38-V6-20	14%	20	M	Performance 3-Blade SSTP
	MAR-GYT38-V6-22	14%	22	M	Performance 3-Blade SSTP
	MAR-GYT38-V6-24	14%	24	M	Performance 3-Blade SSTP
	MAR-GYT38-XL-27	14%	27	M	Performance 3-Blade SSTP
	MAR-GYT4B-V6-18	13%	18	M	Performance 4-Blade SSTP
	MAR-GYT4B-V6-20	13%	20	M	Performance 4-Blade SSTP
	MAR-GYT4B-V6-22	13%	22	M	Performance 4-Blade SSTP
	MAR-GYT4B-V6-24	13%	24	M	Performance 4-Blade SSTP
	MAR-GYT4B-V6-26	13%	26	M	Performance 4-Blade SSTP
	6R4-45976-A0-00	14%	15	M	Saltwater SSTP
	6R4-45978-A0-00	15%	17	M	Saltwater SSTP
	6R4-45970-A1-00	15%	19	M	Saltwater SSTP
	6R4-45972-A0-00	14%	21	M	Saltwater SSTP
	6R4-45974-A0-00	14%	23	M	Saltwater SSTP
	6D0-45976-00-00	15%	15	M	Saltwater II SSTP
	6D0-45978-00-00	15½	17	M	Saltwater II SSTP
	6D0-45970-00-00	15%	19	M	Saltwater II SSTP
	6D0-45972-00-00	15	21	M	Saltwater II SSTP

► SPECIAL APPLICATIONS

OUTBOARD MODEL	PART NUMBER	DIAM.	PITCH	TYPE	SERIES
150A/C/F	6J9-45976-10-00	14%	21	M1	Pro SSTP
200A/B/F/G	6J9-45972-80-00	14%	23	M2	Pro SSTP
220A	6J9-45970-80-00	14%	25	M2	Pro SSTP
225A/B/C/D	6J9-45974-10-00	14%	27	M1	Pro SSTP
250A/B	68K-45974-80-00	14%	23	M2	Pro - High Density Hub SSTP
PRO V200	66K-45972-80-00	14%	25	M2	Pro - High Density Hub SSTP
HPD1150	66K-45970-80-00	14%	27	M1	Pro - High Density Hub SSTP
HPD1175	69L-45974-20-00	14%	23	T1	VMAX SSTP
HPD1200	69L-45972-20-00	14%	25	T1	VMAX SSTP
F150A	69L-45970-20-00	15%	27	T1	VMAX SSTP
F200A/F225A	69L-45976-20-00	14%	29	T1	VMAX SSTP
HPD1250/HPD1300	6E5-45970-10-00	14	20	P	High Performance SSTP
(continued)	6E5-45976-10-00	14	22	P	High Performance SSTP
	6E5-45972-10-00	14	24	P	High Performance SSTP
	6E5-45978-10-00	14	26	P	High Performance SSTP
	6E5-45974-10-00	14	28	P	High Performance SSTP
L150 to L300HPDI	6K1-45947-00-98	14%	17	ML	Aluminium - CR
FL150/FL200A/	6K1-45945-00-98	14%	19	ML	Aluminium - CR
FL225A	6K1-45970-01-98	15%	15	ML	Standard Black SST - CR
	6K1-45978-02-98	13%	17	ML1	Standard Black SST - CR
	6K1-45974-02-98	13%	19	ML1	Standard Black SST - CR
	6K1-45972-01-98	13%	21	ML	Standard Black SST - CR
	6K1-45976-00-98	13%	23	ML	Standard Black SST - CR
	MAR-GYT38-L6-18	14%	18	ML	Performance 3-Blade - CR SSTP
	MAR-GYT38-L6-20	14%	20	ML	Performance 3-Blade - CR SSTP
	MAR-GYT38-L6-22	14%	22	ML	Performance 3-Blade - CR SSTP
	6R1-45976-A0-00	14%	15	ML	Saltwater - CR SSTP
	6R1-45978-A0-00	15%	17	ML	Saltwater - CR SSTP
	6R1-45970-A0-00	15%	19	ML	Saltwater - CR SSTP
	6R1-45972-A0-00	14%	21	ML	Saltwater - CR SSTP
	6R1-45974-A0-00	14%	23	ML	Saltwater - CR SSTP
	6D1-45976-00-00	15%	15	ML	Saltwater II - CR SSTP
	6D1-45978-00-00	15%	17	ML	Saltwater II - CR SSTP
	6D1-45970-00-00	15%	19	ML	Saltwater II - CR SSTP
	6D1-45972-00-00	15	21	ML	Saltwater II - CR SSTP
F200A/F225A	61A-45978-00-98	15	17	T	Saltwater (Offshore) SSTP
225A/B/C/D/250A/B	61A-45974-00-98	14%	19	T	Saltwater (Offshore) SSTP
HPD1250	61A-45972-00-98	14%	21	T	Saltwater (Offshore) SSTP
LF200A/LF225A	61B-45978-00-98	15	17	TL	Saltwater (Offshore) - CR SSTP
L225A/B/C/D/L250A/B	61B-45974-00-98	14%	19	TL	Saltwater (Offshore) - CR SSTP
HPD1250	61B-45972-00-98	14%	21	TL	Saltwater (Offshore) - CR SSTP
Vmax200/Vmax225	66K-45974-80-00	14%	23	M2	Pro SSTP
VmaxHPD1150	66K-45972-80-00	14%	25	M2	Pro SSTP
VmaxHPD1200	66K-45970-80-00	14%	27	M1	Pro SSTP
VmaxHPD1250	69L-45974-20-00	14%	23	T1	VMAX SSTP
	69L-45972-20-00	14%	25	T1	VMAX SSTP
	69L-45970-20-00	15%	27	T1	VMAX SSTP
	69L-45976-20-00	14%	29	T1	VMAX SSTP
250G, F200A/B/C,	68R-45870-00-00	15	21	T	Saltwater Series Hs4
F225A/B/C, F250A/B	68R-45872-00-00	15	22	T	Saltwater Series HS4
	68R-45874-00-00	15	23	T	Saltwater Series HS4
L250G, FL200A/B/C,	68S-45870-00-00	15	21	TL	Saltwater Series HS4
F225A/B, F250A/B	68S-45872-00-00	15	22	TL	Saltwater Series HS5
	68S-45874-00-00	15	23	TL	Saltwater Series HS6

► PROPELLER NUT/BUSH/SPACER/COTTER PIN/WASHER PER MODEL

OUTBOARD MODEL	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
	NUT	BUSH	SPACER	COTTER PIN
2A/2B '73-'01				91490-30045-00
3.5A '73-'74	620-45619-00-00			91490-



Instruments & Digital
Network Gauges

► DIGITAL NETWORK GAUGES


FULL COMMAND AND CONTROL. YOU ALREADY HAVE IT IN YOUR CAR... NOW GET IT ON YOUR BOAT!

ACCURATE INFORMATION IS THE KEY

Perhaps the most obvious advantage, which will be appreciated by any boat owner, is the availability of a wider range of advanced, accurate gauges than ever before; everything from basic speedometer and tachometer displays, to warning and control information on a wide variety of engine functions. In addition, the LAN system offers the comforting advantage of fuel flow management as well as electronic control of idling/trolling speed (F50/60/80/100); and if you choose to link your system to the (optional) triducer via the simple-to-install BUS harness, you can monitor speed, seawater temperature and depth as well. What's more, these are multifunction gauges, so the combination of functions displayed, as well as the order they appear, are user-selectable.

COMPATIBILITY THAT ADDS
REAL FUNCTIONALITY

Both the digital network system and the Digital Network Gauges are a perfectly engineered match for all 2008-model Yamaha outboards (EFI models) from 50hp upwards, all of which are now fitted with a special pre-installed connection port, enabling the engine ECU to communicate directly and efficiently with the central network. What's more, the LAN system's 'open architecture' and its NMEA 2000 compatibility also mean that many other peripherals can be connected easily to the network too. You can therefore add a GPS, radar or fish finder, as well as other navigation aids and equipment from electronics manufacturers who have chosen to use the NMEA 2000 protocol, opening up a whole new world of safer, more relaxed boating.



MULTIFUNCTION SPEEDOMETER

Attractively designed, informative and easy-to-read instruments add to the pleasure of using YAMAHA HYDRA DRIVES and a stylish engine monitoring package is already supplied as standard with all HYDRA DRIVE engines; tachometer, oil pressure, cooling water temperature, battery voltage, and trim position indicator.

Other instruments are now available to match these, including a speedometer (for connection to the standard built-in pick-up of the HYDRA drive unit) and fuel level and turbo boost pressure gauges.

A special instrument package is also available for flybridge boats, including a tachometer and a matching panel with Engine Start/Stop buttons. When full repeat instrumentation is required at the second helm position, an additional warning lamp panel and instrument cluster can also be added.



► EMBELLISH YOUR DASHBOARD

Specially developed for the Yamaha digital instruments you can improve the look of your dashboard. With the silver rings it gets even better.



◀ DASHBOARD SQUARE METERS 2 HOLES

YMM-09D02-00-00
Also available in round 2 holes
YMM-09D01-00-00



▲ GAUGE PLATE SQUARE 2 PCS

YMM-09PS1-00-00
Also available Gauge Plate Rings 2 PCS
YMM-09PR1-00-00



◀ DASHBOARD SQUARE 4 HOLES

YMM-09D03-00-00

► INSTRUMENTATION FOR HYDRA DRIVE DIESELS



◀ SPEEDOMETER PANEL ASSEMBLY

N64-83600-10-00



◀ TACHOMETER PANEL ASSEMBLY

N64-83600-00-00



◀ FUEL METER PANEL ASSEMBLY

N64-83600-70-00



◀ TRIM METER PANEL ASSEMBLY

N64-83600-50-00



◀ WATER TEMPERATURE PANEL ASSEMBLY

N64-83590-00-00



◀ OIL PRESSURE METER PANEL ASSEMBLY

N64-83600-40-00



◀ BOOST PRESSURE METER PANEL ASSEMBLY

N64-83600-60-00



◀ VOLTMETER PANEL ASSEMBLY

N64-83600-30-00




REMOTE CONTROLS ▶

DRIVE BY WIRE REMOTE CONTROL 6X6 TOPMOUNT FOR F250, F300 AND F350

Exclusive binnacle remote control unit, which requires no mechanical remote control cables. The throttle and shift operations are electrically controlled by Digital Network System, which will obtain smoother remote control operation without cable friction. Rigging has been simplified, because the mechanical cable adjustment is not required. These remote control units cover single, twin and triple engine application.

Requires Digital Network Gauge (6Y8) for monitoring the engine.



▶ DRIVE BY WIRE

REF. NO.	PART NUMBER	VARIATION CODE	ENGINE			SINGLE STATION	DUAL STATION		MOUNT		REMARKS
			Single	Twin	Triple		Main helm	2nd helm	R	L	
1	6X6-48205-00	A	•			•					STD (no extension to dual-station)
	6X6-48205-10	C	•			•	•				
	6X6-48205-20	G	•					•			
2	6X6-48207-00	B		•		•					STD (no extension to dual-station)
	6X6-48207-10	D		•		•	•				
	6X6-48207-20	H		•				•			
3	6X6-48208-20	F			•	•	•				
	6X6-48208-30	K			•			•			
4	6X7-48206-00	A	•						•		With emergency shut-off cord



◀ PREMIUM 705 FLUSH SIDE MOUNT CONTROL

Slim fitting unit with exceptional controllability.

- High-degree throttle angle for finer control
- Thumb-operated trim/tilt switch
- Neutral switch
- Push-button neutral warm-up
- Corrosion-resistant casing

6X3-48206-01-00 For all engines Push to Open.



◀ PREMIUM 704 TOP MOUNT

A thoroughbred unit with contemporary styling and advanced functionality.

- Thumb-operated trim/tilt switch and neutral lock (on most boxes)
- Button release for fast idling
- Corrosion-resistant upper body with fully enclosed lower casings
- Yamaha wiring harness for easy installation and improved water sealing

704-48205-P1-00 SINGLE For all engines Push to Open.



◀ PREMIUM 704 TWIN CONTROL

All the quality and usability of the 704 Top Mount but for twin engines.

- Cutting-edge design
- Exceptionally smooth operation
- Individual switches for fine tuning each engine
- Thumb-operated trim/tilt switch on both engines

704-48207-P1-00 For all engines Push to Open.



◀ PREMIUM TRIPLE REMOTE CONTROL

A unique Yamaha control, specially designed for triple installations of our F225, F250, Z250 (HPDI) and Z300 (HPDI) engines. Must be matched with Yamaha Triple Panel Switch and Digital Network Gauge/LAN system (6Y8).

Note: For the Triple Remote Control, the Yamaha PowerMatched (YPM) or equivalent control cable, is recommended. For further information, please consult your Yamaha Authorised Dealer.

6X5-48207-00-00 For all engines Push to Open.

STANDARD 701 SIDE CONTROL ▶

The perfect, functional choice for those with a smaller outboard.

- Single forward/reverse control lever
- Separate fast idle lever for user-friendly operation
- May require a Remote Conversion kit

RIGHT	701-48130-02-00
LEFT	701-48140-E0-00 For all engines Push to Open.



PREMIUM 703 SIDE CONTROL ▶

A first-class controller designed with electric-start Yamaha outboards in mind.

- 6PK-300PK
- Thumb-operated trim/tilt switch (on most boxes)
- Lockable neutral position
- Safety lanyard
- Easy-to-use fast idle lever for quick warm-up
- Key switch for added security
- Forward/reverse lever
- Oil & overheat warning (selected models)
- Choke switch available on selected models
- May need a Remote Conversion kit

703-48207-17-00 For all engines Push to Open.



REMOTE CONTROL SPACER KITS ▶

Designed to raise the control box 22mm/0.9" to make more clearance when the lever is in wide-open throttle position.

For Single Lever Premium 704
704-48293-20-00

For Twin Lever Premium 704
704-48293-30-00



▶ REMOTE CONTROL WIRE HARNESSES

DESCRIPTION	PART NUMBER
Primary wire harness 5m, 7P (for 704 remote control)	688-82586-50-00
Primary wire harness 5m, 10P (for 704 remote control)	688-8258A-50-00
Primary wire harness 8m, 10P (for 704 remote control)	6K1-8258A-40-00
Primary wire harness 9.9m, 10P (for 704 remote control)	61B-8258A-01-00
Extension wire harness 2m, 7P (for 703/704 remote control)	688-82586-11-00
Extension wire harness 2m, 10P (for 703/704 remote control)	688-8258A-10-00
Extension wire harness 3m, 10P (for 703/704 remote control)	688-8258A-30-00
7P to 10P adaptor	703-8258A-00-00

REMOTE CONTROL ATTACHMENT KITS ▶

The best way to convert your Yamaha outboard throttle and shift cable from manual to remote operation with the least amount of fuss.

- Solid durable corrosion-resistant construction
 - For use with remote controls and control cables
 - Steering hook not included
- We strongly recommend that all cable specification and installation work be carried out by an Authorised Yamaha Dealer, where further product details and helpful advice are always available.

6X5-48207-00-00



▶ REMOTE CONTROL ATTACHMENT KITS

OUTBOARD MODEL	PART NUMBER
9.5A/12A/15A	YMM-21201-00-00
4A/5C	YMM-21202-00-00
6B/8B	655-48501-02-00
6C/D/8C	YMM-21204-00-00
F6A/F6B/F8C/FT8D	60R-G8501-00-00
9.9D/15D	YMM-21205-00-00
9.9F/15F	YMM-21206-00-00
F15C	6AH-48501-00-00
F8A/B/F9.9A/B/FT9.9A	6G8-48501-03-00
F9.9C/FT9.9D/F15A	66M-48501-00-00
F25A/F20A/ FT25B	65W-48501-00-00
20C/D/V/30A/G/25D	YMM-21207-00-00
20D/25N (~88)	6L2-48501-00-00
20D/25N (89)	6L2-48501-10-00
20D/25N (90-)	6L2-48501-11-00
30D (~93)	6J8-48501-02-EJ
25J/30D (94-)	6J8-48501-03-4D
40B/D/F	679-48501-12-EJ
40H	6H4-48501-80-00
40Q	6R6-48501-00-00
40X	66T-48501-01-00

CONNECTORS FOR ATTACHMENT KITS	
Connector to motor	YMM-21220-00-00
Gas connector for YMM-21203-00 and YMM-21205-00	YMM-21230-00-00
Gas connector for YMM-21201-00, YMM-21202-00, YMM-21204-00, YMM-21206-00 and YMM-21207-00	YMM-21232-00-00
Shift connector for YMM-21205-00	YMM-21231-00-00
Shift connector for YMM-21201-00, YMM-21202-00, YMM-21203-00, YMM-21204-00, YMM-21206-00 and YMM-21207-00	YMM-21233-00-00

ULTRAFLEX AND TELEFLEX® CONTROLS ▶

As well as our own branded genuine Yamaha Remote Controls, you also have the choice of Ultraflex and Teleflex in our range. There are plenty of options to choose from depending on your requirements including


side-mount controls (B89, B90), flush-fitting controls (B183, B184, B85) and top mounted controls (B73, B77). There is also a control specifically designed for use on sailing boats (B85).

▶ ULTRAFLEX AND TELEFLEX CONTROLS

MODEL	DESCRIPTION	PART NUMBER
Ultraflex B183	Flush Side Mount	YMM-21110-00-00
Ultraflex B184	Flush Side Mount	YMM-21110-10-00
Ultraflex B85	Flush Side Mount	YMM-21111-00-00
Ultraflex B89	Side Mount White (6C-50H)	YMM-21100-00-00
Ultraflex B90	Side Mount Black (6C-50H)	YMM-21100-10-00
Ultraflex B73	Top Mount	YMM-21120-00-00
Ultraflex B77	Top Mount	YMM-21120-10-00
Teleflex Side Mount	(6C-50H)	YMD-RCBOX-00-00

► REMOTE CONTROL CABLES

Only the very best cable performs smoothly and reliably enough to match up to the renowned quality of a Yamaha Remote Control.



Premium PowerMatched Control Cable (YPM) ▼
These are top-of-the-line cables, with features and performance that have made them the first choice of professional riggers. The ultra-low-friction inner core wire has splines and a special cover to reduce contact with the liner, allowing rigging to even tighter tolerances; another benefit is reduced 'play' at the cable ends. We highly recommend the use of Premium PowerMatched cables for boats with severe applications and long cable lengths, on twin-engine installations and on any boat for unrivalled smoothness. These cables are designed to run smoothly even if installation demands that curves or a radius be applied within the cable run.


Original High Quality Control Cable (Y38) ▼
Yamaha offers you a choice in remote control cables that are a perfect match for Yamaha's controls. Our proven original high-quality cables have set the standard with a "plastic-on-plastic" technology that reduced friction for excellent cable performance. The standard-core wires increase strength and reduce binding, allowing for a 4-inch bend radius - approximately 50% better than ordinary cables. The ultraviolet-stabilized jacket resists cracking and water migration to the core.

Please note: If the Yamaha YPM or Y38 is not applicable for rigging certain types of boats, the standard Y32 cable may be used.

FT	CM	STANDARD (Y32)	ORIGINAL (Y38)	PREMIUM (YPM)
5	152	YMM-21005-00-00	---	---
6	183	YMM-21006-00-00	YMM-21006-10-00	YMM-21006-PM-00
7	213	YMM-21007-00-00	YMM-21007-10-00	YMM-21007-PM-00
8	244	YMM-21008-00-00	YMM-21008-10-00	YMM-21008-PM-00
9	274	YMM-21009-00-00	YMM-21009-10-00	YMM-21009-PM-00
10	305	YMM-21010-00-00	YMM-21010-10-00	YMM-21010-PM-00
11	335	YMM-21011-00-00	YMM-21011-10-00	YMM-21011-PM-00
12	366	YMM-21012-00-00	YMM-21012-10-00	YMM-21012-PM-00
13	396	YMM-21013-00-00	YMM-21013-10-00	YMM-21013-PM-00
14	427	YMM-21014-00-00	YMM-21014-10-00	YMM-21014-PM-00
15	457	YMM-21015-00-00	YMM-21015-10-00	YMM-21015-PM-00
16	488	YMM-21016-00-00	YMM-21016-10-00	YMM-21016-PM-00
17	518	YMM-21017-00-00	YMM-21017-10-00	YMM-21017-PM-00
18	549	YMM-21018-00-00	YMM-21018-10-00	YMM-21018-PM-00
19	579	YMM-21019-00-00	YMM-21019-10-00	YMM-21019-PM-00
20	610	YMM-21020-00-00	YMM-21020-10-00	YMM-21020-PM-00
21	640	YMM-21021-00-00	YMM-21021-10-00	YMM-21021-PM-00
22	671	YMM-21022-00-00	YMM-21022-10-00	YMM-21022-PM-00
23	701	YMM-21023-00-00	YMM-21023-10-00	YMM-21023-PM-00
24	732	YMM-21024-00-00	YMM-21024-10-00	YMM-21024-PM-00
25	762	YMM-21025-00-00	YMM-21025-10-00	YMM-21025-PM-00
26	792	YMM-21026-00-00	YMM-21026-10-00	YMM-21026-PM-00
27	823	YMM-21027-00-00	YMM-21027-10-00	YMM-21027-PM-00
28	853	YMM-21028-00-00	YMM-21028-10-00	YMM-21028-PM-00
29	884	YMM-21029-00-00	YMM-21029-10-00	YMM-21029-PM-00
30	914	YMM-21030-00-00	YMM-21030-10-00	YMM-21030-PM-00


Yamaha recommends YPM or Y38 cables. If not applicable for rigging certain types of boats, Y32 cable may be used.

► STOP SWITCHES/PANEL SWITCHES



DESCRIPTION	PART NUMBER
Panel switch (push choke) for 704 remote control boxes	704-82570-08-00
Panel switch (push choke) for 704 twin remote control boxes	6K1-82570-08-00
Panel switch (no lanyard) for 705 remote control box	64D-82570-20-00
Stopper cord/Safety Lanyard all models	682-82556-00-00
HYDRA DRIVE	
Panel switch assembly (ME432 and ME372) incl Safety Lanyard	64D-82570-10-00
Panel switch assembly (ME432 and ME372) incl start & stop switch	6YF-82570-50-00
Panel Switches (Digital Network Compatible)	
Single Engine Application	704-82570-08-00
Twin Engine Application	6Y8-82570-01-00
Triple Engine Application	6X5-82570-01-00
F350/F300/F250	
Panel switch for 2nd helm (dual station)	6X6-82570-00-00
Panel switch (twin key) for 2nd helm (dual station)	6X6-82570-10-00
Panel switch (triple key) for 2nd helm (dual station)	6X6-82570-20-00
Station selector switch	6X6-82570-A0-00





1. YMM-24001-00-WH ▶
Diameter 335mm

2. YMM-24001-00-BK ▶
Diameter 335mm

3. YMM-24002-00-BK ▶
Diameter 342mm

4. YMM-24005-00-BK ▶
Diameter 350mm

5. YMM-24005-00-GY ▶
Diameter 350mm

6. YMM-24003-00-BK ▶
Diameter 350mm

7. YMM-24007-00-BS* ▶
Diameter 350mm

8. YMM-24004-00-BK ▶
Diameter 280mm

9. YMM-24006-00-CH ▶
Diameter 345mm

10. YMM-24007-00-BK ▶
Diameter 350mm

11. YMM-24008-00-BS ▶
Diameter 350mm

12. YMM-24009-00-BK ▶
Diameter 350mm



* To fit these wheels, the special hub (YMM-24000-01-00) is required.

Steering Systems



SEASTAR HYDRAULIC STEERING SYSTEMS ▼



For high-horsepower, high-speed boating, steering systems must perform at maximum capacity, and the line-up of SeaStar Hydraulic Steering Systems from Teleflex is designed to provide that extra margin of smooth-turning muscle when needed. This comprehensive range, which comes recommended by YAMAHA, includes steering systems to handle a variety of outboard requirements for both pleasure and commercial applications.

Easy to install: Only three components: helm, cylinder and tube or hose, with a compact, attractive helm design and a variety of mounting configurations.

Easy to fill and purge: Engineered bleed fittings on the cylinders, plus a helm and lock valve design that enhances air removal and comes with a no-mess filler device.

Designed to provide many years of service: Precision all-metal construction, with heavy-duty bearings instead of bushings and a design that means no corrosion-sensitive materials are exposed to the marine environment. Also kit available YMM-HC640-00-00.

Kit is cylinder (YMM-HC534-50-00), helm 1.7 (YMM-HH527-10-00) and two times oil (YMM-HA543-00-00).

▶ SEASTAR HYDRAULIC STEERING SYSTEM PARTS

PARTS:	PART NUMBER
Hydraulic Steering Kit SeaStar	YMM-HC640-00-00
SeaStar Front Mount Helm 1.70	YMM-HH527-10-00
SeaStar Front Mount Helm 2.0	YMM-HH527-30-00
O/M Front Mount Cylinder HC5358	YMM-HC535-80-00
O/M Front Mount Cylinder HC5345	YMM-HC534-50-00
Back mount Kit, Round Bezel extra deep	YMM-HA541-70-00
Back mount Kit square bezel	YMM-HA541-80-00
Power purge Junior	YMM-HA544-52-00
Dual purging cylinder Kit	YMM-HA546-10-00
SeaStar Hydraulic Oil 1L	YMM-HA543-00-00
Spacer Kit	YMM-H0509-00-00
Tiebar Single pivot Cylinder	YMM-H0600-10-00
Tiebar Twin pivot Cylinder	YMM-H0600-20-00
O/B Hose Kit, two hoses 2' - 0.6m long	YMM-H0510-20-00
O/B Hose Kit, two hoses 4' - 1.2m long	YMM-H0510-40-00
O/B Hose Kit, two hoses 6' - 1.8m long	YMM-H0510-60-00
O/B Hose Kit, two hoses 8' - 2.4m long	YMM-H0510-80-00
O/B Hose Kit, two hoses 10' - 3.0m long	YMM-H0511-00-00
O/B Hose Kit, two hoses 12' - 3.6m long	YMM-H0511-20-00
O/B Hose Kit, two hoses 14' - 4.2m long	YMM-H0511-40-00
O/B Hose Kit, two hoses 16' - 4.9m long	YMM-H0511-60-00
O/B Hose Kit, two hoses 18' - 5.5m long	YMM-H0511-80-00
O/B Hose Kit, two hoses 20' - 6.1m long	YMM-H0512-00-00
O/B Hose Kit, two hoses 22' - 6.7m long	YMM-H0512-20-00
O/B Hose Kit, two hoses 24' - 7.3m long	YMM-H0512-40-00

CYLINDER - SINGLE ENGINE			
1986 to date	100-250HP 2-stroke	HC5345	
1997 to date	80-225HP 4-stroke	HC5345	
2000 to date	150-250 HPDI	HC5345	
2002 to date	300 HPDI	HC5358	
2006 to date	350HP	HC5345	Note: HC5358 may be used. Interference may occur with the engine in full tilt up position dependent on boat construction

		CYLINDER - DUAL ENGINE	TWIN ENGINE SINGLE CYLINDER	TWIN ENGINE DUAL CYLINDER
1986 to date	100-250HP 2-stroke	HC5345	HO6001	HO6002
1997 to date	80-225HP 4-stroke	HC5358 - DO NOT use HC5345 for twin engine application	HO6001	HO6002
2000 to date	150-250 HPDI	HC5358 - DO NOT use HC5345 for twin engine application	HO6001	HO6002
2002 to date	300 HPDI	HC5358	HO6001	HO6002
2006 to date	350HP	MUST use Tournament Cylinders (not quoted) - please contact Teleflex distributor for assistance		

HYDRAULIC STEERING SYSTEMS ▼



There are many benefits to be gained from using a system such as this with a Yamaha outboard. They're safe and, because of the design, highly durable. Unlike most other systems, the cylinder (Yamaha gray) is front mounted and is directly fixed to the engine. This means when the engine is tilted, the hoses between the cylinder and helm do not move together.


The Y33 front-mounted helm is supplied as standard in the kits and can be used for both single and twin engine/single cylinder installation. A Y39 helm is required for twin engine/twin cylinder installation, offering a smoother operation and the correct amount of wheel turns. Both Y33 and Y39 helms are available in front and rear mounted versions.

In addition, the Y33 and the Y39 Helm is available in a "tilt" version. The Y28 Tilt system fits on these helms to adjust the steering wheel position for maximum comfort and control. A square and round flange are separately available to ensure intermediate installation of the pumps in the dashboard.

► HYDRAULIC STEERING SYSTEMS

PARTS:	PART NUMBER
Front mount Cylinder	YMM-23010-00-00
Y33 Helm (Front mount) number of turns lock-to-lock: 4.44 (single cylinder)	YMM-23020-10-00
Y39 Helm (Front mount) number of turns lock-to-lock: 3.76 (single cylinder), 7.52 (twin cylinder)	YMM-23021-10-00
Y33 Helm (Rear mount)	YMM-23022-10-00
Y39 Helm (Rear mount)	YMM-23023-10-00
Y33 Helm (Tilt version)	YMM-23024-10-00
Y39 Helm (Tilt version)	YMM-23025-10-00
Round Flange (for mounting Y33 and Y39 Pumps in intermediate position)	YMM-23026-10-00
Square Flange (for mounting Y33 and Y39 Pumps in intermediate position)	YMM-23027-10-00
Y28 Tilt system	YMM-22560-00-00
Hose kit (2x4m/13.2')	YMM-23030-00-00
Hose kit (2x5m/16.5')	YMM-23030-10-00
Hose kit (2x6m/19.8')	YMM-23030-20-00
Hose kit (2x7m/23.1')	YMM-23030-30-00
Hose Roll (30m)	YMM-23030-90-00
Hose Connectors	YMM-25211-00-00
Oil 1L	YMM-23040-00-00
Repair kit for Y33/39 helms & Front Mount Cylinder (YMM-23010-00)	
End Cap Complete W/ Seal	YMM-39487-C0-00
Nickel Plated Nut & Sleeve Assembly	YMM-71013-L0-00
Rod Seal	YMM-39488-E0-00
EF38 Elbow Fittings Connect Helm & Tube	YMM-39472-N0-00
SF38 Elbow Fittings Connect Helm & Tube	YMM-39471-L0-00
Vented Filler Plug Kit	YMM-39469-A0-00
Non-Vented Filler Plug Kit	YMM-39469-J0-00
Shaft Seal Kit	YMM-39474-T0-00
Install Kit for Front Mount Pumps	YMM-39476-X0-00

MECHANICAL STEERING SYSTEMS ▼



All these systems are highly responsive and are designed and built to our exacting standards of safety, durability and comfort.

The Y22 and Y23 helms (or Y20 kit) can be used for all types of applications. Our Y23 helm has an extra self-centring mechanism, which means the wheel won't return automatically to the straight ahead position after a turning. Both these helms have to be installed with a Y25 Bezel, which is available in 20° and 90° versions.

Number of turns lock-to-lock:
Y12 - approx 2.5 Y22/Y23 - approx 3.8 Y24 - approx 3

The Y26 and Y27 helms are similar to Y22 and Y23, offering the same great quality and handling, but feature a 5-position tilt mechanism to adjust the steering wheel position for maximum comfort and control. The range of tilt is 48°.

To make installation quick and easy, there's a fast-connect system to attach the cable to the helm, and cables in all systems come with stainless steel ends. The Y12 (or Y10 kit) is for smaller boats with engines below 40kW (or below 55hp). Y24 can be applied if conventional and simpler systems are required.

► MECHANICAL STEERING SYSTEMS

Y10 Complete Kit for engines below 40KW (or below 55hp) (including Y11, Y12 and steering wheel YMM-24003-00-BK)			Y20 Complete Kit for all engines (including Y21, Y22, Y25 and steering wheel YMM-24007-00-BK)		
PART NUMBER	FT	CM	PART NUMBER	FT	CM
YMM-22208-00-00	8	244	---	---	---
YMM-22209-00-00	9	274	---	---	---
YMM-22210-00-00	10	305	YMM-22310-00-00	10	305
YMM-22211-00-00	11	335	YMM-22311-00-00	11	335
YMM-22212-00-00	12	366	YMM-22312-00-00	12	366
YMM-22213-00-00	13	396	YMM-22313-00-00	13	396
YMM-22214-00-00	14	427	YMM-22314-00-00	14	427
YMM-22215-00-00	15	457	YMM-22315-00-00	15	457
---	---	---	YMM-22316-00-00	16	488
---	---	---	YMM-22317-00-00	17	518
---	---	---	---	---	---
---	---	---	Y22 Helm (fast connect system) YMM-22500-00-00	---	---
---	---	---	Y23 Helm (non self-centring fast connect) YMM-22500-10-00	---	---
---	---	---	Y25 Bezel YMM-22550-00-00	90°	---
---	---	---	YMM-22551-00-00	20°	---
---	---	---	Y26 Helm (Tilt system with fast connect) YMM-22520-00-00	---	---
---	---	---	Y27 Helm (Tilt system, non self-centring fast connect) YMM-22520-10-00	---	---
---	---	---	Y28 Tilt system for Y26/Y27 helm YMM-22560-00-00	---	---
---	---	---	Y24 Helm YMM-22510-00-00	---	---
Y12 Helm/Bezel YMM-22400-00-00					
Y11 Steering Cable (to be used with Y12)			Y21 Steering Cable (to be used with Y22/23/24)		
PART NUMBER	FT	CM	PART NUMBER	FT	CM
YMM-22007-00-00	7	213	YMM-22107-00-00	7	213
YMM-22008-00-00	8	244	YMM-22108-00-00	8	244
YMM-22009-00-00	9	274	YMM-22109-00-00	9	274
YMM-22010-00-00	10	305	YMM-22110-00-00	10	305
YMM-22011-00-00	11	335	YMM-22111-00-00	11	335
YMM-22012-00-00	12	366	YMM-22112-00-00	12	366
YMM-22013-00-00	13	396	YMM-22113-00-00	13	396
YMM-22014-00-00	14	427	YMM-22114-00-00	14	427
YMM-22015-00-00	15	457	YMM-22115-00-00	15	457
YMM-22016-00-00	16	488	YMM-22116-00-00	16	488
YMM-22017-00-00	17	518	YMM-22117-00-00	17	518
YMM-22018-00-00	18	549	YMM-22118-00-00	18	549
YMM-22019-00-00	19	579	YMM-22119-00-00	19	579
YMM-22020-00-00	20	610	YMM-22120-00-00	20	610
---	---	---	YMM-22121-00-00	21	640
---	---	---	YMM-22122-00-00	22	671
---	---	---	YMM-22123-00-00	23	701
---	---	---	YMM-22124-00-00	24	732
---	---	---	YMM-22125-00-00	25	762

ACCESSORIES FOR MECHANICAL SYSTEMS ▶

Some outboard models require additional accessories for the connection between the steering cable and the engine.



STEERING GUIDE ATTACHMENT KITS AND STEERING HOOKS ▶

These kits are required for connection between the steering cable end and the outboard's steering hook.



TILLER HANDLES ▶

Some outboard models are not supplied with a tiller handle, but there is a great choice available from Yamaha, including the very latest multi-function handle, with its special features:

- Ergonomic design and longer, larger-diameter throttle grip
- Contoured, composite-coated lever for smooth, comfortable shifting
- Easy access Power Trim and Tilt switch for on-the-go operation
- Neat and conveniently positioned LED engine warning lamp
- Key switch and STOP switch easily accessible from the handle
- Built-in NEUTRAL switch and buzzer for simple rigging

Fitting kits may differ from the ones shown here and additional rigging parts may be needed for some tiller handles. Please ask your dealer for advice.



▶ ACCESSORIES FOR MECHANICAL STEERING SYSTEMS

DESCRIPTION	PART NUMBER
Clamp block to support steering cables (aluminium and stainless steel)	YMM-22601-00-00
Splashwell mounting support for steering cables (corrosion resistant)	YMM-22602-00-00
Clamp block to support steering cables (corrosion resistant painted steel)	YMM-22603-00-00
Clevis for YMM-22601-00-00, YMM-22602-00-00, or YMM-22603-00-00	YMM-22610-00-00
Clevis for YMM-22601-00-00, YMM-22602-00-00, or YMM-22603-00-00	YMM-22611-00-00

▶ STEERING GUIDE ATTACHMENT KITS

OUTBOARD MODEL	PART NUMBER
F6A/B/F8C/FT8D	68T-61350-00-00
9.9F/15F/F9.9C/FT9.9D/F15A	63V-61350-00-00
20D/25J/N/25B/30H/30D	689-61350-02-00
F20A/F25A/FT25B/F30A/F40B/40X/F40C/F60A/C/FT60B/D	65W-61350-00-00
40V/Y/F40A/F45A/50H/F50A/F/FT50B/C/G	63D-61350-00-00
50G - 90A	688-61350-10-00
F80A/B/F100A/D	67F-61350-00-00
F95A, F100B/F115-F250/115-300	6E5-61350-02-00
Twin engine tie-bar kit, 40-300/F30-F250	6E5-61301-01-00
Adjustable distance: 600-800mm	

▶ STEERING HOOKS

OUTBOARD MODEL	PART NUMBER	REMARKS
Universal Steering Hook (A50) for engines between 5 and 25hp	YMM-21220-00-00	
6C/D/8C/9.9D/15D/40Q	676-48511-01-00	Ball post type, not for F8B/F9.9A/B/25J
F6A/F8C/FT8D/9.9F/F9.9C/FT9.9D/15F/F15A	63V-48511-01-00	Steering guide type
F8A/B/F9.9A/B/25J/30D ('87-'96)	6G8-48511-10-00	Ball post type
F8A/B/F9.9A/B/25J/30D ('87-'96)	6G8-48511-20-00	Steering guide type
20C/('85-'96) 20D/25B/25D/N/30A/G ('85-'89)	689-48511-01-00	Ball post type/Steering guide type
20D/25N ('01) 25JEO/30DEO ('94-)	6J8-48511-01-4D	
20D/25N ('93) 25J/30D ('86-'93)	6J8-48511-01-EJ	Ball post type/Steering guide type
20D/25N ('90-'01)	6L2-48511-00-00	Ball post type/Steering guide type
25J/30DETO ('99-'01)	6J8-48511-51-4D	Steering guide type
F20A/F25A/FT25B/F30A/40X/F40B/C/F50F/FT50/BG/F60A/C/FT60B/G ('98-)	65W-48511-00-00	Steering guide type
25B/50G/60F/70B ('94-)	6H3-48511-51-4D	
25B/Q/40H/50D/G/60F/70B/75A/80A/85A/90A ('94-)	688-48511-01-4D	Ball post type
25Q/50D/G/60F/70B/80A/90A (-'93)	688-48511-01-EJ	Ball post type
25Q ('94-)	6H5-48511-51-4D	
25QETO/40HETO/50DETO ('93)	6H5-48511-51-EJ	
25Q/40H/50D ('94-)	6H4-48511-51-4D	Steering guide type
25Q/40HEPO/50D ('93)	6H4-48511-51-EJ	Steering guide type
40V/Y/F40A/F45A/50H/F50A/B/FT50B/C	63D-48511-00-4D	
50G/60F/70B ('84-'93)	6H3-48511-51-EJ	Steering guide type
55B ('92-'94)	688-48511-51-1D	Steering guide type
55B ('95-'98)	688-48511-51-4D	Steering guide type
55B ('90-'94) 75A/85A ('90-'93)	688-48511-01-1D	Ball post type
75A/85A ('93)	688-48511-11-1D	Steering guide type
75A/C/80A/85A/90A ('94-)	688-48511-11-4D	
80A/90A ('93)	688-48511-11-EJ	Steering guide type
F80A/B/F100A/C	67F-48511-00-4D	Steering guide type
F(L)115A	68V-48511-00-8D	Steering guide type

▶ TILLER HANDLES

STANDARD:	PART NUMBER	REMARKS
OUTBOARD MODEL		
F8A/F9.9A	6G8-W0084-81-EL	
F9.9D '05- FT9.9D	66R-W0084-01-4D	
F9.9C/F13.5A/F15A '05	66M-W0084-00-4D	
F20A/F25A '05	65W-W0084-01-4D	
25B/30H	69P-W0084-00-4D	
30D	6J8-W0084-11-4D	
25Q/40V/50H '03	63D-W0084-00-4D	
25Q/40V/50H '04	63D-W0084-01-4D	
25Q/40V/50H '05-	63D-W0084-02-4D	
25Q/40V/50H	63D-W0086-00-4D	with electric start
F30A/F40B '02	67C-W0084-10-4D	
F30A/F40B '02	67C-W0084-01-4D	
F30A/F40B '03-'04	69W-W0084-01-4D	
F30A/F40B/F50A/F/FT50C '05-	69W-W0084-02-4D	
F30A/F40B '03-'04	69W-W0084-10-4D	
F40A/F45A/F50A/FT50B/C '04	62Y-W0086-00-4D	
F40C/F60A '02	69W-W0084-00-4D	
F40C/F60A/FT60B '03-'04	69W-W0084-01-4D	
F40C/FT50G/F60A/C/FT60B/D '05-	69W-W0084-03-4D	

STANDARD:	PART NUMBER	REMARKS
OUTBOARD MODEL		
50G/60F/70B	6H3-W0086-D0-4D	with electric start
F80A/F100A/F115A '01	67G-W0084-19-4D	
F80A/F100A/F115A '02	67G-W0084-11-4D	
F80A/F100A/F115A '03-'04	67G-W0084-12-4D	
F80A/B/F100A/D/F115A '05-	67G-W0084-14-4D	
F80A/F100A/F115A	67G-W0084-01-4D	
Variable trolling RPM Switch Kit	6C5-W8186-00-00	(For F50, F60, FT60, F80 and F100)
Instructions included in the Kit		
MULTI-FUNCTION:		
OUTBOARD MODEL	PART NUMBER - TILLER HANDLE	PART NUMBER - FITTING KIT
F115A	6X4-42101-00-00	6X4-42102-00-00
F80B/F100D & F80A/F100A	6X4-42101-00-00	6X4-42102-10-00
F50/F60 F40C/D	6X4-42101-00-00	6X4-42102-20-00
F30/F40	6X4-42101-00-00	6X4-42102-30-00
80/90	6X4-42101-00-00	6X4-42102-40-00
60/70	6X4-42101-00-00	6X4-42102-50-00
40/50	6X4-42101-00-00	6X4-42102-60-00
F25 (Fitting parts included with handle)	6X4-42103-00-00	



Filters & Fuel Accessories



WATER FUEL SEPARATING FILTER ▶

Keeping your fuel clean has and will always be an important issue where boating is concerned. Contaminated fuel affects performance and can increase the wear and tear on your engine. The trouble is, millions of small dirt particles are already in the fuel before it gets anywhere near your boat. That's where Yamaha Water Separating Fuel Filters come in. They are designed to be the most efficient systems available for removing dirt before it enters the pumps and injection system. Without one, dirty, unfiltered fuel could block your internal fuel passages causing the engine to run poorly or even fail.

Instead of the standard 35/27-micron filter, the Yamaha 10-micron filter will protect your engine by removing dirt, water and small foreign particles. The superior Yamaha 10-micron filters are highly recommended for all engines, especially HPDI models and EFI.

However, it's important to choose a fuel filter with the right capacity for your engine and regularly maintain it. If not, this could also affect performance and damage the engine. A simple rule of thumb is to ensure the litres-per-hour (LPH) of the filter is greater than that of the engine. This figure can be found in your owner's manual.

Remember, a filter that is too big or too good will not cause problems, but one that is too small or too dirty can restrict fuel flow, possibly resulting in engine failure.

THE SOLUTION FOR CORROSION ▶

The entire body is made of plastic, so there is no danger of electric corrosion or rust developing. The plastic used has excellent alcohol resistance, so no deformation. A highly transparent plastic bottom with red floating ring for easy check

- Easy change of filter • 200 liter/hour fuel flow

Water Fuel Separator Filter 10 micron Assembly including connectors

907-94468-70-00

Water Fuel Separator Spare Inner Filter 10 Micron Assembly

907-94468-71-00

▶ FILTERS

DESCRIPTION	PART NUMBER
Complete Filter Kit for engines up to 50hp 10-micron, 95 litres/hour	YMM-2W095-00-01
Replacement Element for Filter Kit up to 50hp	YMM-2E095-01-00
Complete Filter Kit for engines between 50hp and 115hp 10-micron, 114 litres/hour	YMM-2W114-00-00
Replacement Element for Filter Kit between 50hp and 115hp	YMM-2E114-00-00
Complete Filter Kit for engines over 115hp 10-micron, 227 litres/hour	YMM-2W227-00-01
Replacement Element for Filter Kit over 115hp	YMM-2E227-00-01
Complete Filter Kit for Twin Engine Installation or Professional Use 10-micron, 341 litres/hour	YMM-2W341-00-01
Replacement Element for Filter Kit for Twin Engine Installation or Professional Use	YMM-2E341-00-01

(Note: A filter is never "too big". A larger filter will last longer than one which is "just large enough")

▶ CONNECTORS

DESCRIPTION	PART NUMBER
Connectors for YMM-2W095-00-00 and YMM-2W227-00-00 (1/4" NPT ports):	
Straight fitting for 6.5mm hose	YMM-2FS06-00-00
Straight fitting for 8mm hose	YMM-2FS08-00-00
Straight fitting for 10mm hose	YMM-2FS10-00-00
Elbow fitting for 8mm hose	YMM-2FE08-00-00
Elbow fitting for 10mm hose	YMM-2FE10-00-00
Connectors for YMM-2W341-00-00 (3/8" NPT ports):	
Straight fitting for 8mm hose	YMM-2SF08-00-00
Straight fitting for 10mm hose	YMM-2SF10-00-00



FUEL TANKS ▶

All fuel tanks are equipped with an automatic de-aeration system, a level gauge and paint-free couplings. Our heavy-duty plastic fuel tanks are specially constructed for all conditions; safety and durability have been given top priority, as have the fuel pipes between tank and motor.

The fuel lines and improved connectors are totally unaffected by oil and fuel, and maintain their elasticity, even at lower temperatures. The permanently sealed version, with improved connectors, provides even greater flexibility and safety against fuel leakage.

The 5 and 10 litre high density polyethylene fuel cans are unbreakable and non-corroding. The no-spill spout provides full control when refuelling, as fuel will not flow until the nozzle is inserted into the fuel tank and gently pressed down.



▶ FUEL ACCESSORIES

FUEL TANK	
MODEL	PART NUMBER
12L	6YL-24201-01-00
25L	6YK-24201-01-00

JERRY CAN	
5L Jerry Can	YMM-5LTRE-00-00
10L Jerry Can	YMM-10LTR-EO-00
No-spill Spout for 5 & 10L Fuel Can	YMM-NSPSP-T0-00

FUEL PIPE (COMPLETE)	
6mm 3m	6Y1-24306-55-00
8mm 3m	6Y2-24306-56-00
6mm 3m Permanent Sealed	6YL-24306-54-00
8mm 3m Permanent Sealed	6YK-24306-44-00

FUEL CAP	
25L tank with indicator	MAR-COMBI-CP-25
25L tank without indicator	6YK-24610-10-00
12L tank	MAR-COMBI-CP-12

FUEL PICKUP	
MODEL	PART NUMBER
25L tank	97951-24262-00
12L tank	97951-24261-00

FUEL PIPE	
6mm 30m	90890-56878-00
8mm 30m	90790-77001-00

FUEL PIPE JOINT	
For 6mm OM side	6G1-24305-05-00
For 6mm Tank side	6Y1-24305-06-00
For 8mm OM side	6E5-24305-06-00
For 8mm Tank side	6Y2-24305-06-00

PRIMARY PUMP	
For 6mm	6Y1-24360-52-00
For 8mm	6Y2-24360-52-00





Outboard Maintenance
& Accessories



OUTBOARD MOTOR COVERS ▶

A Yamaha Outboard is a quality investment, so it makes sense to give it the protection it deserves. There's no better way of doing this than with an Outboard Motor Cover.

They're specifically designed for every engine we produce from 2.5hp upwards. The fit is snug and stylish, and they're manufactured from a highly durable, waterproof fabric that is resistant to rot, mildew and UV light. The special soft inner lining protects the paintwork and will keep your engine looking at its best. Every cover has a strong eyelet for tying it down to the engine, and most models have a stretch-cord fitting with a snap-buckle to keep the cover tight and secure in windy conditions or when towing the boat on a trailer.

All covers come with smart Yamaha logo and graphics and there are special styles to go with high-performance HPDI and VMAX models.



▶ OUTBOARD MOTOR COVERS

4-STROKE	PART NUMBER
OM cover F2.5A	YMM-09100-00-00
OM cover F4A	YMM-09101-00-00
OM cover F6A/F8C/F9.9	YMM-09102-00-00
OM cover F15C/F20B/F20C	YMM-09103-00-00
OM cover F25B/V	YMM-09104-00-00
OM cover F30/F40	YMM-09105-00-00
OM cover F50/F60	YMM-09106-00-00
OM cover F80A/F100A	YMM-09107-00-00
OM cover F115A	YMM-09108-00-00
OM cover F150	YMM-09109-00-00
OM cover F200A/F225A	YMM-09110-00-00
OM cover F250	YMM-09111-00-00
OM cover F300/F350	YMM-09112-00-00

▶ FENDERS

DESCRIPTION	PART NUMBER
0 - 6 metres	YMM-09BF0-00-01
6 - 10 metres	YMM-09BF0-00-02



▶ FENDER SOCKS

DESCRIPTION	PART NUMBER
0 - 6 metres	YMM-09FS0-00-01
6 - 10 metres	YMM-09FS0-00-02



◀ ENGINE FLUSH KIT

This extremely useful piece of equipment connects in seconds to your garden hose and allows you to flush out harmful salt and sand. It can also be used for out-of-water operation for tune-ups.

For 6/8/F9.9/25-250hp engines

ABB-MOTOR-FL-SH

For 3/4/5/9.9/15 engines and jet drives

ABB-FLUSH-JD-00



◀ PROPELLER WRENCH

Designed to fit F115 and all V4/V6 outboard prop nuts. Has a 9/16" square opening on the reverse side to open garboard drain plugs.

MAR-PROPW-RN-CH



◀ TRANSOM PLATES

Yamaha recommend these transom plates on each boat with engine from 60hp and up.

V4/V6 engines aluminium 10mm

YMM-09TP0-00-01

V8 engines aluminium 10mm

YMM-09TP0-00-02



◀ TRANSOM BRACKETS

The tough plastic bracket is easy to install by just threading the Rigging Hose onto it. It requires no clamp, yet provides positive engagement. Use with the Rigging Grommet on the other end for quick, easy rigging. When the chromium plated copper "Through transom bracket" is used, the rigging hose is fitted with the clamp.

CHROME TRANSOM BRACKET +

2 anodised stainless steel clamps

Plastic Transom bracket

ABA-THRUT-RA-SM

MAR-THRUT-RS-M2

RIGGING HOSE ▶

Keep your cables protected and uncluttered with a Rigging Hose. Yamaha Hoses are tough yet flexible and are constructed from crush-resistant, UV-protected material to ensure a longer life span. Hoses are mounted using a chromium-plated copper or plastic bracket and come in black, gray or metallic blue colours.

Black	25ft/7.62m	ABB-RIGHS-BK-25
Gray	25ft/7.62m	ABB-RIGHS-GY-25
Metallic Blue	25ft/7.62m	ABB-RIGHS-BE-25



RIGGING GROMMETS ▶

These handy devices replace rubber engine grommets on bigger engines and provide positive attachment without the need for clamps. They can be threaded directly onto one end of a rigging hose with Transom Brackets at the other end.

F80-F250	MAR-GROMM-ET-01
F200-F250	MAR-GRMMT-LG-4S
Z250-Z300	MAR-GRMMT-Z2-50
F150	MAR-GRMMT-F1-50



BATTERY BOXES ▶

Protect your battery and prevent the ingress of water with a lightweight battery box. They come in two sizes and include a nylon tie-down strap.



▶ BATTERY BOXES

DESCRIPTION	PART NUMBER
YAMAHA BATTERY BOX SMALL Max size of battery: Length x Width = 277 x 186mm	YMM-BTBX0-00-24
YAMAHA BATTERY BOX LARGE Max size of battery: Length x Width = 327 x 186mm	YMM-BTBX0-00-27

▶ SPRAYPAINT

BOX 6 x 400ML CANS	PART NUMBER
Ocean Blue (for engines until 1983)	YMM-30400-0B-00
Marine Blue (for engines from 1983 until 1993)	YMM-30400-MB-00
Bluish Gray Metallic (for engines from 1994)	YMM-30400-GM-00
Dark Blue (for origin engines)	YMM-30400-DB-00
Harbor White (for F9.9 until 1993)	YMM-30400-HW-00
Dark Blue Metallic (for VMAX engines)	YMM-30400-VB-00
Pearl White Metallic (for VMAX engines)	YMM-30400-VW-00
Metallic Marine Silver (for sterndrives)	YMM-30400-MS-00
Top Coat	YMM-30400-TC-00
Filling Primer	YMM-30400-FP-00
Zincprimer (anti-corrosive)	YMM-30400-ZP-00
Propeller White	YMM-30400-PW-00

SPRAYPAINT ▶

Scratches can cause rust or other types of damage. Fix them quickly and effectively with our high-quality, durable Yamaha aerosols and primers. They've been developed specifically for marine use and offer the best colour match for Yamaha outboards.



OUTBOARD MOTOR LOCKS ▼

Yamaha Outboards are valuable pieces of high-quality kit. That's why we've developed a strong, ingenious range of high security locks to protect them from theft. They comply with high safety standards and have passed rigorous testing by the respected VIP/TNO Institute in Holland.

- SCM - approved
- Key Code Card included
- Stainless steel
- 3 keys included



◀ SMARTLOCK

- Optimal protection against theft
- Easy to fit
- Unique and modern design

YMM-40001-00-00



◀ YAMLOCK PRO (STAINLESS STEEL)

- Universal fitment
- Anti-drill protection
- Including rubber against resonance
- Easy to use

YMM-40001-00-ST



◀ TRANSPORT WHEEL FOR INFLATABLE BOATS

Rubber heavy duty inflatable launching wheels. High quality 316 stainless steel pipe for optimal protection against corrosion and easy-to-use pivot system to raise the wheels. Suitable for both long transom and short transom inflatable boats.

YMM-80521-00-00



◀ FABRIC CLEANER REVIVAL

An ecologically-friendly paste that cleans, degreases, polishes and protects. Specially designed for boat maintenance: it removes yellowing, tartar, rust and marks on the gel coat and tubes.

450g Tub YMM-61111-00-00



◀ OUTBOARD TROLLEY

The smart solution for handling your outboard. It is compact and light weight < 6kg Adjusted to perfect fit on any outboard engine up to 20hp. Very easy to use and can be collapsed into a small packet. Leave the engine on the trolley during longer storage or for service.

YMM-09TRO-00-00



WaveRunner Accessories



FX GRAY/BLACK ▲

MWV-CVRFX-BC-09



FX BLACK/LIGHT GRAY ▲

MWV-CVRFX-GB-09



FZS LIGHT GRAY/BLACK ▲

MWV-CVRFZ-BK-GY



FZR LIGHT GRAY/BLUE ▲

MWV-CVRFZ-BL-GY



FX SHO CHARCOAL/BLUE ▲

MWV-CVRSH-BL-08




FX SHO CHARCOAL/GRAY ▲

MWV-CVRSH-GY-09



FX CRUISER SHO CHARCOAL/GRAY ▲

MWV-CVRSH-CR-CH



VX CRUISER GRAY/GRAY ▲

MWV-CVRVX-GB-09



VX CRUISER GRAY/BLACK ▲

MWV-CVRVX-BK-GY



VX DELUXE GRAY/BLACK ▲

MWV-CVRVX-GY-09



VX GRAY/BLUE ▲

MWV-CVRVX-GY-BL



SUPERJET BLUE ▲

MWV-CVRSJ-BL-08

Waverunner Covers ▶

They're specifically designed to protect and fit every curve and corner of your beloved machine. Durable and tough, each one is constructed from high-quality materials to ensure long life. They resist water, fading, the elements and rot.

Note: during transport, covers must be secured with straps under the watercraft using the special eyelets on the side of the cover.

Fuel Tank Access

The zip allows easy access to the fuel tank cap without having to remove the cover.

Eyelet Access

Provides access to eyelets on the front and back sides of the craft when you want to secure it with dock lines or tie-down straps for transportation.

Ventilation System

Lets air circulate around the craft while it is being stored. This is important to reduce the chance of humidity forming. It also creates a vacuum inside the cover during transport, which draws it more tightly against the craft.



VX RED/LIGHT GRAY ▲

MWV-CVRVX-SL-RD



Fuel Tank Access



Eyelet Access



Ventilation System

▶ Waverunner Covers

FROM 2001 MODELS ONWARDS	PART NUMBER		PART NUMBER
SUV 1200	YMM-90101-00	VX Deluxe '06-	YMM-90110-00
FX140/FX HO '05	YMM-90107-00	VX Sport '06-	YMM-90111-00
FX140/FX HO '06-	YMM-90107-A0	VX Cruiser '07	MWV-CVRVX-BK-GY
GP1300R/GP1200R/GP800R	YMM-90102-00	FX Cruiser SHO red/gray	MWV-CVRSH-CR-RD
XL1200/XLT800	YMM-90103-00	FX SHO charcoal/red	MWV-CVRSH-RD-08
XL700	YMM-90105-00	FX Cruiser/FX Cruiser HO black/gray	MWV-CVRFX-BK-GY
SuperJet	YMM-90106-00	FX HO charcoal/gray/blue	MWV-CVRFX-CH-08
FX140 Cruiser '04/FX HO Cruiser '04	YMM-90108-00	FX charcoal/gray/red	MWV-CVRFX-CH-GR
FX Cruiser '05/FX HO Cruiser '05	YMM-90109-00	VX Cruiser black/sand	MWV-CVRVX-SA-BK
FX Cruiser '06/FX HO Cruiser '06	YMM-90109-A0	GP 1300R charcoal/blue	MWV-CVRGP-CH-BL
FX Cruiser/FX Cruiser HO '07 gray/blue	MWV-CVRFX-GY-BL	SuperJet blue	MWV-CVRSJ-BL-08
FX/FX HO '07 charcoal/gray	MWV-CVRFX-CH-GR	WaveRunner cover storage bag	MWV-WVRNR-BG-01



◀ **FOLDING RE-BOARDING STEP**
Provides a wide step surface for ease of boarding, especially in deep water.

MWV-FSTEP-VX-11



◀ **STORAGE PACK**
Need to bring along items that you do not want to move around in the storage compartment or get wet, such as keys, wallets, pagers or cell phones? This pack is your answer.

MWV-BOWPA-CK-00



◀ **FENDER**
Engineered specifically for WaveRunners. Easily to put/hang wherever you want.

BLUE MWV-WVRNR-HH-BL
BLACK MWV-WVRNR-HH-BK

▶ Personal Watercraft Sparkplugs

MODEL	PART NUMBER	NGK REFERENCE
SuperJet 700 ('03-)	94701-00195-00	BR8HS
XL700 ('03-)	94701-00195-00	BR8HS
XLT800/GP800R ('03-)	94701-00204-00	BR8ES
XLT1200/GP1200R/GP1300R ('03-)	94702-00396-00	BR8ES-11
SUV1200 ('03-)	94701-00195-00	BR8HS
FX/FX HO/FX Cruiser/FX HO Cruiser	94702-00409-00	CR9EB



Outboard Maintenance
& Service

ANODES ▶

The materials and build quality of a Yamaha engine means it's already highly resistant to corrosion. The addition of a self-sacrificing anode will improve this even further. As a first line of defence, an anode is meant to corrode instead of your engine. It can easily be replaced by another,

thereby protecting the engine. However, high-quality Yamaha anodes are more durable than most of their competitors and will need to be changed less often, thereby maximising the protection of your engine.

▶ ANODES

ANODE/TAB-TRIM FOR LOWER UNIT		
OUTBOARD MODEL	PART NUMBER	
F9.9C/F15A	66M-45371-00-00	
F20A/F25A/25B/30H	61N-45371-00-00	
40Q/50G/55B/PRO50	679-45371-00-00	
20C/D/25D/J/N/Q/30A/D/40H/V/X/50D/H/F40A/F45A/F50A (-'00)	664-45371-01-00	
FT25B/C/F30A/F40A/B/C/F60A/F40A/F50A/F/F60A/C ('01-)	67C-45371-00-00	
FT50C/G/FT60B/D/F80A/B/F100A/D	67F-45371-00-00	
FT50B (-'00) 60F/70B/75A/C/PRO75/80A/85A/90A	688-45371-02-00	
100A/115A/B/C/E/T/O/130B/140A/B/F115A		
150A/175A/200A (-'97) 220A/PROV100	6E5-45371-01-00	
60F/70B/75A/C/80A/85A/90A/PRO50/75/V4/V6	6E5-45371-10-00	for high performance stainless steel propeller
150A/175A/200A ('98-)		
150C/F175B/D/200B/F/G/225A/F/225B/D/PROV200/F150A	6J9-45371-01-00	
Z150P/Q/Z175G/H/Z200N		
150A/175A/200A	6K1-45371-00-00	
LF150A/L150C/F/L200B/F/LZ150P/LZ200N	6K1-45371-02-00	
FL115A/L130B/L140B	6L6-45371-00-00	
(L)225C/G/(L)250A/B/F/(L)200A/F/(L)225A	61A-45371-00-00	
Z200P/(L)Z250D/F/(L)Z300A	69L-45371-00-00	

ANODE FOR CYLINDER		
OUTBOARD MODEL	PART NUMBER	
F2.5A/F4A/F8A/B/F9.9A/B	6G8-11325-00-00	
F6A/B/F8C/FT8D	68T-11325-00-00	
9.9D/F15D/F	682-11325-00-00	
F9.9C/D/FT9.9D/F15A	66M-11325-00-00	
20C/25B/D/V/30A/G/H	689-11325-00-00	
F20A/F25A/FT25B/F30A/F40A/B/C/F45A/F50A/F/FT50B/C/G/		
F60A/C/FT60B/D/(L)Z150P/Q/Z175G/H/Z200N/P/Z250D/F	62Y-11325-00-00	
25Q/40H/V/50D/H/75A/C/PRO75/80A/85A/90A	688-11325-00-00	
40Q/40X	676-11325-00-00	
55B	663-11325-00-00	
50G/60F/70B/PRO50	6H3-11325-01-00	
20D/25B/J/N/V/30D/G/H	6J8-11325-00-00	
F45A/F50A/F50B/FT50B/55B		
(L)250A/B/100A/115A/B/C/(L)130B	6E5-11325-00-00	
140A/(L)140B/(L)150A/C/F		
175A/B/D/(L)200A/B/F/G/220A/225A/B/D		
(L)Z150P/Q/Z175G/H/Z200N	61A-11325-00-00	
PROV100/150/200(VMAX)		
225C/G/L225C/(L)250A/B		
F80A-'03/F100A-'03/F/(L)200A-'03/F/(L)225A-'03/Z250D/F/Z300A	67F-11325-00-00	
F80A'04/F100A'04/F/(L)200A'04/F/(L)225A'04	68V-11325-01-00	
F80A/B'05-/F100A/D'05-/F/(L)200A'05-/F/(L)225A'05-	68V-11325-01-00	

ANODE FOR BRACKET		
FT8D/FT9.9D/F15A/F20A/F25A/FT25B/25J/F30A/30D/F40B/C/		
40X/V/Y/FT50C/50H/F60A/FT60B	65W-45251-00-00	
25B/Q/40H/50D/G/55B/60F/70B/75A/C/80A/85A/90A/		
F80A/B/F100A/D/PRO50/75 ('90-)	6H1-45251-03-00	
40H/50D/60F/70B/80A/90A ('89)	6H1-45251-01-00	
40H/50D/60F/70B/80A/90A (-'88)	688-45251-01-00	
25B/FT25B/F30A/40V/Y/F40A/B/F45A/FT50A/B/50G/H/		
PRO50/55B/60F/70B	663-45251-00-00	
40V/Y/F40A/F45A/50H/F50A/FT50B	63D-45251-00-00	
115A/140A/150A/175A/200A/220A	6E5-45251-00-00	
100A/115B/C/F/(L)115A/(L)130B/(L)140B/(L)F150A/		
(L)150A/C/F/175A/B/D/F/(L)200A/B/F/G/(L)225A/B/C/D/G/	6G5-45251-02-00	
F/(L)250A/B/(L)Z150P/Q/Z175G/H/(L)Z200N/P/250D/		
F/(L)200A/F/(L)225A/(L)Z300A/PROV100/150/200/VMAX		
F350	6AW-11325-00-00	

IMPELLERS

This vital component of the water pump ensures a continuous supply of the correct amount of coolant to the engine. Like all our parts, a Yamaha Impeller is intended for use with a Yamaha engine, so it's advisable to specify one every time it needs replacing.

▶ IMPELLERS

OUTBOARD MODEL	PART NUMBER
2A/2B/2C	646-44352-01-00
F2.5A/3A/Malta	6L5-44352-00-00
4A/B/F4A/5C	6E0-44352-00-00
F6A/B/F8C	68T-44352-00-00
6C/6D/8C	6G1-44352-00-00
F8B/F9.9A/B/D/FT9.9A/15D	682-44352-03-00
FT8D/9.9F/F9.9C/FT9.9D/15F/F15A/F15C/F20B	63V-44352-01-00
20C/25D/30A	689-44352-02-00
20D/25N	6L2-44352-00-00
F20A/F25A/FT25B/25B/J/V/F30A/30D/H/G/F40B/40H/X/50D	6H4-44352-02-00
F40A/C/40V/F/Y/F45A/50G/H/55B/PRO50/F50A/B/F/FT50B/C/G/60F	
F60A/C/FT60B/D/70B-'03	6H3-44352-00-00
40Q	6F5-44352-00-00
60F '04-/70B '04-/75A/C/PRO75/80A/85A/90A	688-44352-03-00
F80A/B/F100A/D	67F-44352-00-00
F(L)115A/F(L)150A and all V4/V6 models	6E5-44352-01-00
F350	6AW-44352-00-00
HYDRA DRIVE DIESEL MODEL	
ME372/ME432 Impeller	6TA-12457-00-00

▶ FUEL FILTERS

OUTBOARD MODEL	PART NUMBER
3A/F4A	6L5-24251-00-00
4A/F4A/5C/6C/D/8C/F8B/F9.9A/B/FT9.9A and ALL HPDI Models	646-24251-02-00
FT8D	68T-24251-00-00
9.9D/15D/20C/D/25D/J/N/Q/V/30A/D/G/40H/Q/50D/G/55B/60F/	
70B/75A/80A/85A/90A/100A/115B/C/(L)130B/(L)150C/(L)175B/	6F5-24563-00-00
200B/PRO200V/225B (-'93)	
9.9C/D/F/15C/D/F/20C/D/F/25B/D/J/N/Q/V/30D/G/H/40H/Q/V/X/Y/F40A/	
B/F45A/F50A/B/FT50A/50D/G/H/PRO50/55B/60F/70B/75A/C/PRO75/	
80A/85A/90A/100A/PROV100/115B/C/(L)130B/D150H/(L)150C/(L)150F/	61N-24563-00-00
175B/D/(L)200B/(L)200F/G/PROV200/225B/D ('94-)	
FT9.9D/F9.9C/F15A/F20A/F25A/FT25B/F30A/F40B	65W-24251-01-00
F80A/F100A	67F-24251-02-00
F40C/F50F/FT50C/G/F60A/C/FT60B/D/F80B/F100D/F/(L)115A	68V-24563-00-00
150A/(L)225C/(L)250A	61A-24563-00-00
225G/(L)250B/F/(L)150A/F/(L)200A/F/(L)225A/F/(L)250A	65L-24563-00-00
All HPDI Models (Fuel Strainer)	60V-24251-01-00
F350	6AW-24502-00-00
Hydra Drive Diesel Model	YU2-33001-75-01

▶ OIL FILTERS

OUTBOARD MODEL	PART NUMBER
F8A/B/F9.9A/B/FT9.9A (-'89)	6G8-13411-01-00
F8B/F9.9A/B/FT9.9A ('90-)	6G8-13440-00-00
F9.9C (-'99)/FT9.9D (-'99)/F15A (-'99)/F20A/(-'00)/F25A (-'00)/	
F40A (-'00)/B (-'00)/F45A (-'00)/F50A (-'00)/B (-'00)/FT50B (-'00)/	
F80A/(-'00)/F100A (-'00) F9.9C ('00-)/FT9.9D ('00-)/F15A ('00-)/	5GH-13440-00-00
F20A ('01-)/F25A ('01-)/FT25B/F30A/F40A ('01-)/B ('01-)/C ('01-)/	
F45A ('01-)/F50A ('01-)/F50F/FT50B/C/G/F60A/FT60B/D/F80A ('01-)/	
B/F100A ('01-)/D/(L)115A	
WaveRunner FX140/FX HQ/FX Cruiser	5GH-13440-00-00
F(L) 150A/F(L)200A/F(L)225A/F/(L)250A	69J-13440-00-00
F350	N26-13440-00-00

HYDRA DRIVE DIESEL MODEL	
ME422/ME422HO/ME432 Oil Filter	YU9-09153-00-02
ME370 Oil Filter	YD9-09153-00-02



NGK SPARK PLUGS ▲

These provide the ultimate performance for your engine. They're high-quality, reliable and their advanced materials and design provide superior anti-fouling characteristics, which reduce carbon build-up over a wide heat range. "V Type" plugs include a thin centre electrode tip, which is made of precious metal for added corrosion and oxidation resistance. The result: fast, sure starts and less misfiring, even in the coldest weather.

- Ribbed to eliminate flash-over and improve performance
- Highest quality ceramic insulators improve heat dissipation and electrical insulation to provide long term durability
- More Gaskets for peak performance
- Deep-seated copper core provides maximum engine efficiency at high and low speeds
- Projected insulator precision-engineered to prevent fouling and misfiring
- Nickel alloy tip prevents fouling, maximises performance and extends plug life


▶ SPARK PLUGS

OUTBOARD MODEL	PART NUMBER	NGK REFERENCE
2B/(-'92)	94701-00039-00	B6HS
2B ('93-)	94702-00249-00	BR5HS
3A/6D/FT8D (-'92)	94701-00273-00	B6HS-10
3A('93-/6D('93-/F6A/B/F8C/FT8D	94702-00274-00	BR6HS-10
F2.5A/F4A ('98-)	94702-00248-00	BR6HS
4A('95-/B/5C('93-'04)/20C('94-'02)/25D ('98-'02)/40X ('99-)	94701-00110-00	BR7HS
6C('93-/8C('93-/9.9D('93-'95)/F('95-/15D/F/20D('93-/		
25B('02-/J('93-'99)/N('93-/V('93-'00)/30D('93-/G/H/	94702-00271-00	BR7HS-10
40H('93-'94)/V('95-/L)150F ('/96-'04)/G		
F8B	94701-00300-00	CR5HS
F9.9A/B/FT9.9A	94701-00282-00	CR6HS
F9.9C/FT9.9D/F15A/F20A/F25A/FT25B/		
F30A/F40A/B/F45A/F50A/FT50B/C	94701-00375-00	DPR6EA-9
40Q	94701-00195-00	BR8HS
F40C/F60A/FT60B	94701-00406-00	DPR5EA-9
F20B/F50F/FT50G/F60C/FT60D	94702-00418-00	DPR6EB-9
30G/40Y/50G/H/55B/60F/70B/C/75A/C/80A/85A/90A/100A/		
115B/C/140A/(L)150A/C/F/H/D150H/175A/B/D/L)200A/	94702-00247-00	BR8HS-10
B('90-'95)/F/G/225D/(L)250A		
F80A/B/F100A/D/(L)F150A/F/(L)200A/F/(L)225A	94702-00391-00	LF6A-11
F(L)115A	94702-00400-00	LF6A-11
(L)130B/(L)140B/C/225B/C/G/(L)250B	94701-00309-00	BR9HS-10
(L)Z150P/Q/Z250D'05-/F'05-/Z300A'05-	94702-00405-00	BKR6EKUB
Z175G/H/(L)Z200N/Z250D-'04/F-'04/Z300A'04	94702-00404-00	BKR7Eku
F350	94702-00400-00	LF6A-11

2009

Marine Accessories Dealer Guide

www.yamaha-motor-acc.com



All information in this catalogue is given for general guidance only and is subject to change without prior notice. Photographs may show boats being driven by professionals and no recommendation or guidance in respect of safe operation or style of use is intended or implied by the publication of these images. Always respect the local maritime regulations. Always wear the recommended personal flotation device and safety equipment when boating



Yamaha highly recommend to you the use of genuine Yamaha accessories and clothing. Contact your local dealer or visit our website: www.yamaha-motor-acc.com